



Product Brochure

2023



A market-leading Manufacturer of Plastic Building & Plumbing Systems.

For over 30 years, FloPlast has invested heavily in its infrastructure, ensuring that products are manufactured and supplied to customers in the most cost effective manner.

With an extensive range of high quality products, FloPlast provide an excellent service to both stockist and end users.

Merchant Ordering Information:

Pack Quantities

For ease of storage, handling and protection, FloPlast products are supplied in standard pack quantities (QTY) as detailed in this brochure. You are requested to order in these pack quantities or in multiples thereof.

Minimum Order Value

Goods are delivered free of charge for orders in excess of our minimum order value of £700. Orders may be combined to include products from any of the FloPlast range.

Stillages

All products are delivered on stillages which are the property of FloPlast Ltd, these will be both logged and registered accordingly, prior to return. All stillages must be returned on the delivery vehicle.

Terms & Conditions of Sale

Goods are sold subject to our Standard Terms and Conditions of Sale, copies of which are available upon request. This price list does not constitute an offer.

All prices and discount terms are subject to alteration without notice. Prices quoted are given in GBP and exclusive of VAT which will be added to the invoice at the applicable rate. E&OE.

Roofline, Window & Cladding Systems

Fascia Board	6
Box End Board	6
Soffit Board	7
Roofline Joints and Trims	8
Window Systems	9
Cladding Systems	10
White Fixings	10
Woodgrain Fascia Board	12
Woodgrain Box End Board	12
Woodgrain Soffit Board	12
Woodgrain Joints and Trims	13
Woodgrain Window Systems	13
Woodgrain Cladding Systems	14
Woodgrain Fixings	15

Ancillaries	15
-------------	----

Rainwater Systems

112mm Half Round System	18
68mm Round Downpipe Fittings	19
114mm Square Line System	20
65mm Square Downpipe Fittings	21
110mm Niagara Ogee System	22
80mm Round Downpipe Fittings	23
115mm Hi-Cap System	24
Rainwater Adaptors	25
76mm MiniFlo System	26
EcoFlo Rainwater Storage	27
50mm Round Downpipe Fittings	27
170mm XtraFlo System	28
110mm Round Downpipe	28
'Cast Iron' Style Half Round System	29
'Cast Iron' Style Round Downpipe Fittings	30
'Cast Iron' Hi-Cap System	31
'Cast Iron' Niagara Ogee System	32
Cast Iron' Square Downpipe Fittings	33
Hoppers & Motifs	33
Stormsaver Rainwater Harvesting	34
Leaf & Weather Protection	35

Ancillaries	35
-------------	----

Soil & Waste Systems

110mm Ring Seal Soil Systems	38
Ring Seal Reducers & Adaptors	40
'Cast Iron' Style Ring Seal Soil Systems	42
110mm Solvent Soil Systems	44
Air Admittance Valves	44
Soil-WC Connectors	45
ABS Solvent Weld Waste Systems	46
Push-Fit Waste Systems	47
FlexiFlo Connectors	47
Unicom Compression Waste Systems	48
'Chrome' Style Compression Waste	49
21.5mm Overflow Waste Systems	49
Bath & Shower Trap Fittings	49
Waste Trap Fittings	50

Ancillaries	50
-------------	----

Underground Drainage Systems

110mm Pipe & Fittings	54
110mm Adaptors & Plugs	57
110mm Hoppers & Grids	57
110mm Access Chambers (LIC)	58
110mm Access Chambers (MAC)	59
160mm Pipe & Fittings	60
160mm Adaptors & Plugs	61
160mm Access Chambers (LIC)	61
FloDrain Channel Drainage	62
Land Drainage	63
GroundGuard	63

MDPE Systems

'Supreme' MDPE Fittings	66
MDPE Pipe	67

Hot & Cold Plumbing Systems

FloFit+ Fittings	70
FloFit+ Pipe	71
Store Display Stand	71



Roofline, Window & Cladding Systems

FloPlast Roofline, Window & Cladding extrusions are manufactured on state of the art machinery and extrusion dies at the group's Cork plant, which has over 40 year's experience behind it.

FloPlast boards offer a low maintenance solution to both Roofline and Window Systems construction. The tough, impermeable, PVC-UE outer skin of FloPlast co-extruded foam boards, provides year round protection from both the weather and insect infestation. PVC-UE has a high degree of thermal insulation and is resistant to atmospheric pollution.

Quality is Guaranteed.

Available in a wide range of high gloss finishes, FloPlast co-extruded white PVC-UE boards and Woodgrain Foil PVC-UE boards come with a **20 Year Product Guarantee** for White and a **10 Year Product Guarantee** for Woodgrain Roofline, Window & Cladding products in respect of performance and significant discolouration. The guarantee is subject to registration of the installation, which can be done through the FloPlast website.

Range Benefits



Maintenance
Free Product



Durable
& Resistant



Thermal
Insulator



Workable
Material



Great Chemical
Compatibility


White Fascia Board

For use in new build work, total replacement or refurbishment.



Product	Size	Code	Qty
Universal Board - 9mm (£ Price per 5m)			
	Single Leg: 100mm	U100	2
	150mm	U150	2
	175mm	U175	2
	200mm	U200	2
	225mm	U225	2
	250mm	U250	2
	275mm	U275	2
	300mm	U300	2
	Double Leg: 350mm	U350	2
	450mm	U450	1

Ogee Fascia Board - 10mm (£ Price per 5m)			
	Single Leg: 150mm	O150	2
	175mm	O175	2
	200mm	O200	2
	225mm	O225	2
	250mm	O250	2
	Double Leg: 404mm	O404	2

Mammoth Board - 18mm (£ Price per 5m)			
	Single Leg: 150mm	M150	2
	175mm	M175	2
	200mm	M200	2
	225mm	M225	2
	250mm	M250	2
	300mm	M300	2
	Double Leg: 404mm	M404	1

Product	Size	Code	Qty
Ogee Mammoth Board - 18mm (£ Price per 5m)			
	Single Leg: 150mm	G150	2
	175mm	G175	2
	200mm	G200	2
	225mm	G225	2
	250mm	G250	2
	300mm	G300	2

Usage Suitability	Universal Board	Ogee Fascia	Mammoth Board	Ogee Mammoth
Fascia Refurbishment	•	•		
Window Board	•		•	
Reveal Liner	•		•	
Replacement/New Build			•	•

White Box End Board

The versatility of FloPlast's Roofline boards allows for an extensive choice of box ends to neatly finish off any profile fascia board.

Product	Size	Code	Qty
Universal Box End Board - 9mm (£ Price per 1.25m)			
	450mm	UB450	2
Mammoth Box End Board - 18mm (£ Price per 1.25m)			
	404mm	MB404	2
Ogee Box End Cover - 18mm (£ Price each)			
	404 x 60mm	RT19	10



White Soffit Board

For roofline protection, ventilation and longer lasting installations.



Product	Size	Code	Qty
Multi-Purpose Soffit Board - 10mm (£ Price per 5m)			
	Single Round Edge: 100mm	S100	2
	150mm	S150	2
	175mm	S175	2
	200mm	S200	2
	225mm	S225	2
	250mm	S250	2
	500mm	S500	1
	Double Round Edge: 304mm	S304	2
	404mm	S404	2
	600mm	S600	1

Vented Soffit - 10mm (£ Price per 5m)			
	Single Round Edge: 100mm	V100	2
	150mm	V150	2
	175mm	V175	2
	200mm	V200	2
	225mm	V225	2
	250mm	V250	2
	500mm	V500	1
	Double Round Edge: 304mm	V304	2
	404mm	V404	2
	600mm	V600	1

Double Vented Soffit - 10mm (£ Price per 5m)			
	Single Round Edge: 175mm	DV175	2
	200mm	DV200	2
	250mm	DV250	2
	Double Round Edge: 304mm	DV304	2
	404mm	DV404	2
Please note that the Double Vented Soffit will be made to order.			

Product	Size	Code	Qty
Hollow Soffit (£ Price per 5m)			
	300mm	H300	5
Hollow Soffit Trim (£ Price per 5m)			
	'J'	HJ	10
	'H'	HH	10
Please note that the Double Vented Soffit will be made to order.			



- 1 Multi Purpose Soffit
- 2 Vented Multi Purpose Soffit
- 3 Ogee Mammoth Board
- 4 Ogee Corner Joint



White Roofline Joints and Trims

Matching white PVC-U mouldings cater for all joints and corners.



Product	Size	Code	Qty
In-Line Joint (£ Price each)			
	300 x 42mm	RT1	10
	500 x 35mm	RT2	10
RT2 - Double-ended joint is available to be cut to size.			
	500 x 42mm	RT3	10
RT3 - Double-ended joint is available to be cut to size.			
Corner Joint (£ Price each)			
	300 x 42mm	RT4	10
	500 x 35mm	RT5	10
RT5 - Double-ended joint is available to be cut to size.			
	500 x 42mm	RT6	10
RT6 - Double-ended joint is available to be cut to size.			
Internal Corner:	300 x 42mm	RT7	10
			

Product	Size	Code	Qty
External Corner 135°: 	300 x 42mm	RT10	10
Ogee In-Line Joint (£ Price each)			
	300 x 50mm	RT11	10
	500 x 50mm	RT12	10
		RT12 - Double-ended Ogee joint is available to be cut to size.	
Ogee Corner Joint (£ Price each)			
	300 x 50 x 50mm	RT14	10
	500 x 50 x 50mm	RT15	10
		RT15 - Double-ended Ogee joint is available to be cut to size.	
Ogee Internal Corner: 	300 x 42mm	RT17	10
In-Line Jointing Trim (£ Price per 5m)			
	10 x 20mm	RT20	10
Edge Capping Trim (£ Price per 5m)			
	10 x 11mm	RT21	10

White Window Systems

Achieve a high quality dry fix finish to window openings.

Product	Size	Code	Qty
Architrave-Pencil Round (£ Price per 5m)			
	45 x 6mm	WT1	10
	65 x 6mm	WT2	10
	95 x 6mm	WT3	10
D Section (£ Price per 5m)			
	28 x 6mm	WT4	10
Edge Fillet (£ Price per 5m)			
	20mm	WT5	25
Quadrant (£ Price per 5m)			
	12mm	WT6	10
	19mm	WT7	10
Square (£ Price per 5m)			
	15 x 13mm	WT8	25
Window Board Channel (£ Price per 5m)			
	10 x 5mm	RT21	10


Product	Size	Code	Qty
Angle (£ Price per 5m)			
	100 x 80mm 90° Hollow	WT30	5
	25 x 25mm 90° Rigid	WT31	10
	50 x 50mm 90° Rigid	WT32	10
	25 x 25mm Flexi	WT36	10
	35 x 35mm Flexi	WT37	10
	75 x 75mm Flexi	WT38	5
Board End Moulding (£ Price per pair/per item)			
	42 x 50mm (pair)	WT14	5
	42 x 315mm (1 item)	WT15	10



White Cladding Systems

Matching white PVC-U mouldings caters for all joints and corners.



Product	Size	Code	Qty
V Joint Cladding (£ Price per 5m)			
	100mm	C100	5
Shiplap Cladding (£ Price per 5m)			
	150mm	C150	5
Top Edge Trim - Two Part (£ Price per 5m)			
	N/A	CT1	5
Starter Trim (£ Price per 5m)			
	N/A	CT2	10
Universal Channel (£ Price per 5m)			
	N/A	CT3	10
Drip Trim (£ Price per 5m)			
	N/A	CT4	10
Internal/External Corner - Two Part (£ Price per 5m)			
	N/A	CT5	5

BS EN 13245-2
Attestation Level 4



Product	Size	Code	Qty
Centre Joint Trim (£ Price per 5m)			
	N/A	CT7	10
Butt Joint Trim (£ Price each)			
	150mm	CT8	10

White Fixings

A4 Stainless Steel Pins/Nails with plastic heads.



Product	Size	Code	Colour	Qty
FloTop Pin (£ Price per 250 box)				
	30mm	FP30	w	1
	40mm	FP40	w	1
FloTop Nail (£ Price per 100 box)				
	50mm	FN50	w	1
	65mm	FN65	w	1
Clad Pin (£ Price per 250 box)				
	30mm	CP30	N/A	1
	50mm	CP50	N/A	1

Please note when ordering:

When ordering FloTop products add the colour reference letter to the end of the product code.

w

 White


From Top Left to Bottom Right:
Black Ash (WB), Golden Oak (WG), White,
Anthracite Grey (WA), Rosewood (WR).

Woodgrain Laminate Roofline

Woodgrain Fascia Board

For use in new build work, total replacement or refurbishment.

Usage Suitability	Universal Board	Mammoth Board
Fascia Refurbishment	•	
Window Board	•	•
Reveal Liner	•	•
Replacement/New Build		•

Product	Size	Code	Colour	Qty
Universal Board - 9mm (£ Price per 5m)				
	Single Leg: 150mm	U150	WB WA WR WG	2
	175mm	U175	WB WA WR WG	2
	200mm	U200	WB WA WR WG	2
	225mm	U225	WB WA WR WG	2
	250mm	U250	WB WA WR WG	2
Double Leg:	300mm	U300	WB WR WG	2
	450mm	U450	WB WA WR WG	1
Mammoth Board - 18mm (£ Price per 5m)				
	Single Leg: 150mm	M150	WB WA WR WG	2
	175mm	M175	WB WA WR WG	2
	200mm	M200	WB WA WR WG	2
	225mm	M225	WB WA WR WG	2
Double Leg:	250mm	M250	WB WA WR WG	2
	404mm	M404	WB WA WR WG	1

Woodgrain Box End

Perfect to achieve a neat finish to FloPlast Woodgrain Systems.

Product	Size	Code	Colour	Qty
Universal Box End Board - 9mm (£ Price per 1.2m)				
	450mm	UB450	WB WA WR WG	2
Mammoth Box End Board - 18mm (£ Price per 1.2m)				
	450mm	MB404	WB WA WR WG	2

Woodgrain Soffit Board

For roofline protection, ventilation and longer lasting installations.

Product	Size	Code	Colour			Qty	
Multi-Purpose Soffit Board - 10mm (£ Price per 5m)							
Single Round Edge: 	100mm	S100	WB	WR	WG	2	
	150mm	S150	WB	WA	WR	WG	2
	175mm	S175	WB	WA	WR	WG	2
	200mm	S200	WB	WA	WR	WG	2
	225mm	S225	WB	WA	WR	WG	2
	250mm	S250	WB		WR	WG	2
Double Round Edge:	304mm	S304	WB	WA	WR	WG	2
	404mm	S404	WB	WA	WR	WG	2
Vented Soffit - 10mm (£ Price per 5m)							
Single Round Edge: 	150mm	V150	WB	WA	WR	WG	2
	175mm	V175	WB	WA	WR	WG	2
	200mm	V200	WB	WA	WR	WG	2
	225mm	V225	WB	WA	WR	WG	2
	250mm	V250	WB	WA	WR	WG	2
Double Round Edge:	304mm	V304	WB	WA	WR	WG	2
	404mm	V404	WB	WA	WR	WG	2
Double Vented Soffit - 10mm (£ Price per 5m)							
Single Round Edge: 	175mm	DV175	WB	WA	WR	WG	2
	200mm	DV200	WB	WA	WR	WG	2
	250mm	DV250	WB	WA	WR	WG	2
Double Round Edge:	304mm	DV304	WB	WA	WR	WG	2
	404mm	DV404	WB	WA	WR	WG	2
	Please note that Double Vented Soffit will be made to order.						
Hollow Soffit (£ Price per 5m)							
	300mm	H300	WB	WA	WR	WG	5
Hollow Soffit Trim (£ Price per 5m)							
	'J'	HJ	WB	WA	WR	WG	10
	'H'	HH	WB	WA	WR	WG	10

Woodgrain Joints & Trims

Matching woodgrain mouldings cater for all joints and corners.

Product	Size	Code	Colour	Qty
In-Line Joint (£ Price each)				
	300 x 42mm	RT1	WB WA WR WG	10
	500 x 35mm	RT2	WB WA WR WG	10
RT2 - Double-ended joint is available to be cut to size.				
Corner Joint (£ Price each)				
	300 x 42mm	RT4	WB WA WR WG	10
	500 x 35mm	RT5	WB WA WR WG	10
RT5 - Double-ended joint is available to be cut to size.				
Internal Corner (£ Price each)				
	300 x 42mm	RT7	WB WA WR WG	1
Finial (£ Price each)				
	340mm	RT23	WB WA WR WG	1
In-Line Jointing Trim (£ Price per 5m)				
	10 x 20mm	RT20	WB WA WR WG	5

Woodgrain Window Systems

Achieve a high quality dry fix finish to window openings.

Product	Size	Code	Colour	Qty
Architrave-Pencil Round (£ Price per 5m)				
	45 x 6mm	WT1	WB WA WR WG	10
	65 x 6mm	WT2	WB WA WR WG	10
	95 x 6mm	WT3	WB WA WR WG	10
D Section (£ Price per 5m)				
	28 x 6mm	WT4	WB WA WR WG	10
Edge Fillet (£ Price per 5m)				
	20mm	WT5	WB WR WG	10
Quadrant (£ Price per 5m)				
	12mm	WT6	WB WR WG	10
	19mm	WT7	WB WA WR WG	10
Square (£ Price per 5m)				
	15 x 13mm	WT8	WB WR WG	10
Board End Moulding (£ Price per pair/per item)				
	42 x 50mm (pair)	WT14	WB WR WG	10
	42 x 315mm (1 item)	WT15	WB WR WG	10



Woodgrain Window Systems

Achieve a high quality dry fix finish to window openings.

Product	Size	Code	Colour	Qty
Angle (£ Price per 5m)				
	100 x 80mm 90° Hollow	WT30	WB WR WG	5
	25 x 25mm 90° Rigid	WT31	WB WR WG	5
	50 x 50mm 90° Rigid	WT32	WB WR WG	5

Woodgrain Cladding Systems

Matching woodgrain mouldings caters for all joints and corners.

Product	Size	Code	Colour	Qty
V Joint Cladding (£ Price per 5m)				
	100mm	C100	WB WR WG	5
Shiplap Cladding (£ Price per 5m)				
	150mm	C150	WB WA WR WG	5
Top Edge Trim - Two Part (£ Price per 5m)				
	N/A	CT1	WB WA WR WG	5

Woodgrain Cladding Systems

Matching woodgrain mouldings caters for all joints and corners.

Product	Size	Code	Colour	Qty
Starter Trim (£ Price per 5m)				
	N/A	CT2	WB WA WR WG	5
Universal Channel (£ Price per 5m)				
	N/A	CT3	WB WA WR WG	5
Drip Trim (£ Price per 5m)				
	N/A	CT4	WB WA WR WG	5
External Corner (foiled) - Two Part (£ Price per 5m)				
	N/A	CT5	WB WA WR WG	5
Internal Corner (foiled) - Two Part (£ Price per 5m)				
	100mm	CT6	WB WA WR WG	5
Centre Joint Trim (£ Price per 5m)				
	150mm	CT7	WB WA WR WG	5
Butt Joint Trim (£ Price per 5m)				
	150mm	CT8	WB WA WR WG	10

Woodgrain Fixings

A4 Stainless Steel Pins/Nails with plastic heads.

Product	Size	Code	Colour	Qty
FloTop Pin (£ Price per 250 box)				
	30mm	FP30	B AG BR C	1
	40mm	FP40	B AG BR C	1
FloTop Nail (£ Price per 100 box)				
	50mm	FN50	B AG BR C	1
	65mm	FN65	B AG BR C	1
Clad Pin (£ Price per 250 box)				
	30mm	CP30	N/A	1
	50mm	CP50	N/A	1

Please note when ordering:

When ordering woodgrain products add the colour reference letter to the end of the product code.

- WB

Black Ash
- WA

Anthracite Grey
- WR

Rosewood
- WG

Golden Oak

B

Black

C

Caramel

BR


Brown

AG


Anthracite

When ordering FloTop products add the colour reference letter to the end of the product code.

Ancillaries

Product	Size	Code	Qty
Eaves Protection System (£ Price per pack)			
	1.5m	EPS	10
Disc Soffit Ventilator (£ Price each)			
	75mm	RT25	20
Soffit Ventilator (£ Price per 5m)			
	N/A	RT24	10
Soffit Ventilator with Mesh (£ Price per 5m)			
	N/A	RT27	10
White Finial (£ Price each)			
	340mm	RT23	5
	900mm	RT29	1
Bargeboard Moulding			
	500mm	RT22	10





Rainwater Systems

FloPlast Rainwater Systems offer a wide choice of profile design, both traditional and modern, in a range of colours to suit all tastes and applications.

FloPlast Rainwater Systems benefit from a 10 Year Performance and Colour Guarantee on the black, white, brown, grey and anthracite ranges and 20 years for the 'Cast Iron' style systems. Register your guarantee online today.

The FloPlast Rainwater Systems have been awarded the prestigious BSI Kitemark (KM 501316) (excluding MiniFlo and 'Cast Iron' Style).



Range Benefits



Consistent
Product Finish



Tough &
Durable



Certified &
Guaranteed



Good Colour
Fastness

112mm Half Round System

Compatible with 68mm Round Downpipe Fittings.

Product	Code	Colour	Qty
Gutter			
	2m	RG2	B W BR G 6
	3m	RG3	B W BR G 6
	4m	RG4	B W BR G 6
	4m	RG4	AG 6
Angle 90°			
	RA1	B W BR G	20
	RA1	AG	20
Angle 135°			
	RA2	B W BR G	20
	RA2	AG	20
Adjustable Angle 50°- 156°			
	RA3	B W BR	1
Angle - Any Angle			
	RA9	B W BR G	1
	RA9	AG	1
FloPlast will fabricate any non-standard angle to special order.			
Running Outlet			
	RO1	B W BR G	20
	RO1	AG	20
Stopend Outlet			
	RO2	B W BR G	20
	RO2	AG	20
External Stopend			
	RE1	B W BR G	20
	RE1	AG	20

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Code	Colour	Qty
Internal Stopend			
	RE2	B W BR G	20
	RE2	AG	20
Fascia Bracket			
	RK1	B W BR G	100
	RK1	AG	100
Union Bracket			
	RU1	B W BR G	30
	RU1	AG	30
Half Round Gutter Seal			
	RRS1	N/A	1
Half Round Gutter Clip			
	RRC1	B W BR G	1
	RRC1	AG	1



68mm Round Downpipe Fittings

Compatible with Half Round, Square Line, Niagara Ogee or Hi-Cap.

Standard: BS EN 12200 -1



Product		Code	Colour	Qty
Pipe				
	2.5m	RP2.5	B W BR G	6
	2.5m	RP2.5	AG	6
	4m	RP4	B W BR G	6
	4m	RP4	AG	6
	5.5m	RP5.5	B W BR G	6
	5.5m	RP5.5	AG	6
92 1/2° Offset Bend				
	RB1	B W BR G	20	
	RB1	AG	20	
112 1/2° Offset Bend				
	RB2	B W BR G	30	
	RB2	AG	30	
Shoe				
	RB3	B W BR G	30	
	RB3	AG	30	
Shoe with Fixing Lugs				
	RB4	B W	10	
	RB4 must be used in conjunction with RC4 and RS2.			
Pipe Socket				
	RS1	B W BR G	20	
	RS1	AG	20	

Please note when ordering:

Add the colour reference letter to the end of the product code, e.g. RG2B

B

W

BR

G

AG

 Black White Brown Grey Anthracite Grey

Product	Code	Colour	Qty
Pipe Socket with Fixing Lugs			
	RS2	B W	10
	RS2 must be used in conjunction with RC4 and RB4.		
Pipe Clip			
	RC1	B W BR G	100
	RC1	AG	20
Single Fix Pipe Clip			
	RC3	B W BR G	10
Pipe Clip with Fixing Lugs			
	RC4	B W	10
	RC4 must be used in conjunction with RS2 and RB4.		
67 1/2° Branch			
	RY1	B W BR G	10
	RY1	AG	10
Access Pipe			
	RX1	B W BR	5
	RX1	AG	5



114mm Square Line System

Compatible with FloPlast 65mm Square Downpipe Fittings.

Product	Code	Colour	Qty
Gutter			
	2m	RGS2	B W BR 6
	3m	RGS3	B W BR 6
	4m	RGS4	B W BR 6
	4m	RGS4	AG 6
Angle 90°			
		RAS1	B W BR 20
		RAS1	AG 20
Angle 135°			
		RAS2	B W BR 20
		RAS2	AG 20
Adjustable Angle 50°- 156°			
		RAS3	B W BR 1
Angle - Any Degree			
		RAS9	B W BR 1
		RAS9	AG 1
FloPlast will fabricate any non-standard angle to special order.			
Running Outlet			
		ROS1	B W BR 20
		ROS1	AG 20
Stopend Outlet			
		ROS2	B W BR 20
		ROS2	AG 20
External Stopend			
		RES1	B W BR 20
		RES1	AG 20

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Code	Colour	Qty
Internal Stopend			
	RES2	B W BR	20
	RES2	AG	20
Fascia Bracket			
	RKS1	B W BR	100
	RKS1	AG	100
Union Bracket			
	RUS1	B W BR	30
	RUS1	AG	30
Square Line Gutter Seal			
	RRSS1	N/A	1
Square Line Gutter Clip			
	RRSC1	B W BR	1
	RRSC1	AG	1



65mm Square Downpipe Fittings

Compatible with Square Line or Niagara Ogee Guttering Systems.

Product		Code	Colour	Qty
Pipe				
	2.5m	RPS2.5	B W BR	6
	2.5m	RPS2.5	AG	6
	4m	RPS4	B W BR	6
	4m	RPS4	AG	6
	5.5m	RPS5.5	B W BR	6
	5.5m	RPS5.5	AG	6
92 1/2° Offset Bend				
		RBS1	B W BR	20
		RBS1	AG	20
112 1/2° Offset Bend				
		RBS2	B W BR	30
		RBS2	AG	30
Shoe				
		RBS3	B W BR	30
		RBS3	AG	30
Shoe with Fixing Lugs				
		RBS4	B W	2
		RBS4 must be used in conjunction with RCS4 and RSS2.		
Adjustable Offset Bend				
		RBS5	B W BR	10
67 1/2° Branch				
		RYS1	B W BR	10

Standard: BS EN 12200 -1



Product	Code	Colour	Qty
Pipe Socket			
	RSS1	B W BR	20
	RSS1	AG	20
Pipe Socket with Fixing Lugs			
	RSS2	B W	2
RSS2 must be used in conjunction with RCS4 and RBS4			
Pipe Clip			
	RCS1	B W BR	100
	RCS1	AG	100
Flush Pipe Clip			
	RCS2	B W BR	100
	RCS2	AG	100
Single Fix Pipe Clip			
	RCS3	B W BR	10
Pipe Clip with Fixing Lugs			
	RCS4	B W	5
RCS4 must be used in conjunction with RBS4 and RSS2.			
Square Access Pipe			
	RXS1	B W BR	5



110mm Niagara Ogee System

Use with 68mm Round, 65mm Square or 80mm Round Downpipe.

Product	Code	Colour	Qty
4m Gutter			
	RGN4	B W BR	4
	RGN4	AG	4
90° Internal Angle			
	RAN1	B W BR	10
	RAN1	AG	10
90° External Angle			
	RAN2	B W BR	10
	RAN2	AG	10
135° Internal Angle			
	RAN3	B W BR	10
	RAN3	AG	10
135° External Angle			
	RAN4	B W BR	10
	RAN4	AG	10
Angle - Any Degree			
	RAN9	B W BR	1
	RAN9	AG	1
FloPlast will fabricate any non-standard angle to special order.			
Multi Fit Running Outlet - 65mm Square/68mm Round			
	RON1	B W BR	10
	RON1	AG	10
65mm Square L/H Stopend Outlet			
	RON2	B W BR	10
	RON2	AG	10

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Code	Colour	Qty
65mm Square R/H Stopend Outlet			
	RON3	B W BR	10
	RON3	AG	10
80mm Round Running Outlet			
	RON4	B W BR	10
80mm Round L/H Stopend Outlet			
	RON5	B W BR	10
80mm Round R/H Stopend Outlet			
	RON6	B W BR	10
L/H External Stopend			
	REN1	B W BR	10
	REN1	AG	10
R/H External Stopend			
	REN2	B W BR	10
	REN2	AG	10
L/H Internal Stopend			
	REN3	B W BR	10
R/H Internal Stopend			
	REN4	B W BR	10

Product	Code	Colour	Qty
Fascia Bracket			
	RKN1	B W BR	20
	RKN1	AG	20
Top Hung Fascia Bracket			
	RKN2	B W BR	20
Union Bracket			
	RUN1	B W BR	10
	RUN1	AG	10
Niagara Ogee Gutter Seal			
	RRNS1	N/A	1
Niagara Ogee Gutter Clip			
	RRNC1	B W BR	1
	RRNC1	AG	1



80mm Round Downpipe Fittings

Compatible with Niagara Ogee or Hi-Cap Systems.

Product	Code	Colour	Qty
4m Pipe			
	RPH4	B W BR G	4
92 1/2° Offset Bend			
	RBH1	B W BR G	10
112 1/2° Offset Bend			
	RBH2	B W BR G	10
Shoe			
	RBH3	B W BR G	10
Single Fix Pipe Clip			
	RCH3	B W BR G	20
67 1/2° Branch			
	RYH1	B W BR G	10
Pipe Socket			
	RSH1	B W BR G	10

Standard: BS EN 12200 -1



115mm Hi-Cap System

Compatible with 68mm or 80mm Round Downpipe.

Product	Code	Colour	Qty
4m Gutter			
	RGH4	B W BR G	6
	RGH4	AG	6
90° Angle			
	RAH1	B W BR G	10
	RAH1	AG	10
135° Angle			
	RAH2	B W BR G	10
	RAH2	AG	10
Angle - Any Degree			
	RAH9	B W BR G	1
	RAH9	AG	1
FloPlast will fabricate any non-standard angle to special order.			
68mm Running Outlet			
	ROH1	B W BR G	10
	ROH1	AG	10
80mm Running Outlet			
	ROH4	B W BR G	10
68mm Stopend Outlet			
	ROH2	B W BR G	10
	ROH2	AG	10
External Stopend			
	REH1	B W BR G	10
	REH1	AG	10

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Code	Colour	Qty
Internal Stopend			
	REH2	B W BR G	10
	REH2	AG	10
Fascia Bracket			
	RKH1	B W BR G	20
	RKH1	AG	20
Top Hung Fascia Bracket			
	RKH2	B W	20
Union Bracket			
	RUH1	B W BR G	10
	RUH1	AG	10
Floating Union Bracket			
	RUH2	B W	10
Hi-Cap Gutter Seal			
	RRHS1	N/A	1
Hi-Cap Gutter Clip			
	RRHC1	B W BR G	1
	RRHC1	AG	1

Rainwater Adaptors

Product	Code	Colour	Qty
Universal Rainwater Adaptor			
	D96	N/A	10
R/H Half Round to Cast Iron Ogee Gutter Adaptor			
	RD3	B W	10
L/H Half Round to Cast Iron Ogee Gutter Adaptor			
	RD4	B W	10
Half Round to Half Round Cast Iron Adaptor			
	RD5	B W BR G	10
Niagara to Half Round R/H Gutter Adaptor			
	RNR3	B W BR	5
Niagara to Half Round L/H Gutter Adaptor			
	RNR4	B W BR	5
Niagara to Square R/H Gutter Adaptor			
	RNS3	B W BR	5
Niagara to Square L/H Gutter Adaptor			
	RNS4	B W BR	5

Product	Code	Colour	Qty
Half Round to Hi-Cap Gutter Adaptor			
	RHR3	B W BR	1
Square Line to Hi-Cap Gutter Adaptor			
	RHS3	B W BR	1
Round to Square Gutter Adaptor			
	RDS1	B W BR	10
Square to Cast Iron Ogee Gutter Adaptor			
	R/H RDS3	B W BR	10
	L/H RDS4	B W BR	10
Half Round to Square Cast Iron Gutter Adaptor			
	RDS5	B W BR	10
Square to Round Downpipe Adaptor			
	RDS2	B W BR	10
	RDS2	AG	10
	RDS2	CI	2



76mm MiniFlo System

Compatible with 50mm Round Downpipe.

Product	Code	Colour	Qty
2m Pipe			
	RGM2	B W BR G AG	6
90° Angle			
	RAM1	B W BR G AG	5
135° Angle			
	RAM2	B W BR G AG	5
Running Outlet			
	ROM1	B W BR G AG	5
Stopend Outlet			
	ROM2	B W BR G AG	5
Stopend			
	REM1	B W BR G AG	10
Fascia Bracket			
	RKM1	B W BR G AG	10
Union Bracket			
	RUM1	B W BR G AG	5

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462



MiniFlo System Benefits:



Save Time



Save Money



Save Water

... and reduce your carbon footprint with FloPlast's MiniFlo Half Shed Pack, including a Rainwater Diverter.

Perfect to use with FloPlast's EcoFlo Water Butt Range.

Product	Code	Colour	Qty
Half Shed Pack			
	MS1	B AG	1
This Pack Includes: 2x 1m Gutter, 1x Union Bracket, 2x Fascia Bracket, 1x External Stopend, 1x Stopend Outlet, 2x 1m Downpipe, 2x Offset Bend, 2x Pipe Clip and 1x MiniFlo Diverter.			
MiniFlo Gutter Seal			
	RRMS1	N/A	1

EcoFlo Diverters & Storage

Product	Code	Colour	Qty
65mm Square & 68mm Round Rainwater Diverter			
	RVS1	B W BR G	1
	RVS1	AG	1
	RVS1	CI	1
80mm Round Rainwater Diverter			
	RVH1	B W BR G	1
MiniFlo 50mm Round Rainwater Diverter			
	RVM1	B W BR G AG	1
Connector Kit			
	RVS2	B W	1
100L Slim Water Butt (Black)			
	WB100	N/A	1
100L Slim Water Butt Stand			
	ST100	N/A	1
210L Water Butt (Black)			
	WB200	N/A	1
210L Slim Water Butt Stand			
	ST200	N/A	1

50mm Round Downpipe Fittings

To be used in conjunction with FloPlast 76mm MiniFlo System.

Product	Code	Colour	Qty
2m Pipe			
	RPM2	B W BR G AG	6
92 1/2° Offset Bend			
	RBM1	B W BR G AG	10
112 1/2° Offset Bend			
	RBM2	B W BR G AG	10
Shoe			
	RBM3	B W BR G AG	5
Single Fix Pipe Clip			
	RCM1	B W BR G AG	10
67 1/2° Branch			
	RYM1	B W BR G AG	10
Pipe Socket			
	RSM1	B W BR G AG	5



170mm XtraFlo System

To be used in conjunction with 110mm Round Downpipe.

Product	Code	Colour	Qty
4m Gutter			
	RGX4	B W G	4
90° Angle			
	RAX1	B W G	5
Angle - Any Degree			
	RAX9	B W G	1
Running Outlet			
	ROX1	B W G	5
Fascia Bracket			
	RKX1	B W G	10
Union Bracket			
	RUX1	B W G	10
External Stopend			
	REX1	B W G	10
Internal Stopend			
	REX2	B W G	10
XtraFlo Gutter Clip			
	RRXC1	B W G	1
XtraFlo Gutter Seal			
	RRXS1	N/A	1

110mm Round Downpipe Fittings

To be used in conjunction with FloPlast 170mm XtraFlo System.

Product		Code	Colour	Qty
Plain Ended Pipe				
	3m	SP1	B W G	2
	4m	SP2	B G	2
Single Socket Pipe				
	1m	SP8	B W G	2
	2.5m	SP7	B G	2
	3m	SP3	B W G	2
	4m	SP4	B W G	2
Shoe				
		SP171	B W G	10
Pipe Clip				
		SP82	B W G	10
Offset Bend 135° (45°) - Ring Seal Top/Solvent Bottom				
		SP440	B W G	10
Offset Bend 135° (45°) - Spigot/Solvent Socket				
		SP435	B W G	10
92 1/2° Soil Pipe Branch				
		SP190	B W G	5
92 1/2° Soil Pipe Access Bend				
		SP169	B W G	5
Socket/Spigot Access Pipe				
		SP274	B W G	10

'Cast Iron' Style Rainwater Systems

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

The FloPlast 'Cast Iron' Style Rainwater offers the authentic look of Cast Iron with all the benefits of PVC, the perfect complement to our 'Cast Iron' Style Soil & Waste range.

Product	Code	Colour	Qty
112mm Half Round Gutter			
	RG2	ci	6
	RG4	ci	6

Product	Code	Colour	Qty
112mm Half Round Angle 90°			
	RA1	ci	2

'Cast Iron' Style
112mm Half Round System

Compatible with 68mm Round Downpipe Fittings.

Product	Code	Colour	Qty
Angle 135°			
	RA2	ci	2
Angle - Any Angle			
	RA9	ci	1
FloPlast will fabricate any non-standard angle to special order.			
Running Outlet			
	RO1	ci	2
Stopend Outlet			
	RO2	ci	2
External Stopend			
	RE1	ci	2
Internal Stopend			
	RE2	ci	2
Fascia Bracket			
	RK1	ci	10
Union Bracket			
	RU1	ci	2

'Cast Iron' Style
68mm Round Downpipe Fittings

Standard: BS EN 12200 -1

Compatible with 'Cast Iron' Style Half Round or Niagara Ogee.

Product	Code	Colour	Qty
2.5m Pipe			
	RP2.5	ci	6
92 1/2° Offset Bend			
	RB8	ci	2
112 1/2° Offset Bend			
	RB6	ci	2
Shoe with Fixing Lugs			
	RB4	ci	2
Requires 2 x FC50 fixings. See page 35.			
Pipe Clip			
	RC4	ci	5
Requires 2 x FC50 fixings. See page 35.			
Pipe Socket			
	RS2	ci	2
67 1/2° Branch			
	RY1	ci	2
Access Pipe			
	RX1	ci	2

See Page 27 for 'Cast Iron' Style Rainwater Diverter.

'Cast Iron' Style
115mm Hi-Cap System

Compatible with 68mm Round or 80mm Round Downpipe.

Product	Code	Colour	Qty
4m Gutter			
	RGH4	ci	6
90° Angle			
	RAH1	ci	2
135° Angle			
	RAH2	ci	2
Angle - Any Degree			
	RAH9	ci	1
FloPlast will fabricate any non-standard angle to special order.			
68mm Running Outlet			
	ROH1	ci	2
68mm Stopend Outlet			
	ROH2	ci	2
External Stopend			
	REH1	ci	2


Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Product	Code	Colour	Qty
Internal Stopend			
	REH2	ci	2
Fascia Bracket			
	RKH1	ci	10
Union Bracket			
	RUH1	ci	2



'Cast Iron' Style
110mm Niagara Ogee System

Use with 68mm Round, 65mm Square or 80mm Round Downpipe.

Product	Code	Colour	Qty
4m Gutter			
	RGN4	ci	4
90° Internal Angle			
	RAN1	ci	2
90° External Angle			
	RAN2	ci	2
135° Internal Angle			
	RAN3	ci	2
135° External Angle			
	RAN4	ci	2
Angle - Any Degree			
	RAN9	ci	1
Multi Fit Running Outlet - 65mm Square/68mm Round			
	RON1	ci	2
65mm Square L/H Stopend Outlet			
	RON2	ci	2

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Product	Code	Colour	Qty
65mm Square R/H Stopend Outlet			
	RON3	ci	2
L/H External Stopend			
	REN1	ci	2
R/H External Stopend			
	REN2	ci	2
L/H Internal Stopend			
	REN3	ci	2
R/H Internal Stopend			
	REN4	ci	2
Fascia Bracket			
	RKN1	ci	10
Union Bracket			
	RUN1	ci	2



'Cast Iron' Style
65mm Square Downpipe Fittings

Compatible with 'Cast Iron' Style Niagara Ogee Guttering Systems.

Product	Code	Colour	Qty
2.5m Pipe			
	RPS2.5	ci	6
92 1/2° Offset Bend			
	RBS8	ci	2
112 1/2° Offset Bend			
	RBS6	ci	2
Shoe with Fixing Lugs			
	RBS4	ci	2
RBS4 must be used in conjunction with RCS4 and RSS2. Requires 2 x FC50 fixings. See page 35.			
Pipe Clip with Fixing Lugs			
	RCS4	ci	5
Requires 2 x FC50 fixings. See page 35.			
Pipe Socket with Fixing Lugs			
	RSS2	ci	2
RSS2 must be used in conjunction with RCS4 and RBS4.			
67 1/2° Branch			
	RYS2	ci	2

See Page 27 for 'Cast Iron' Style Rainwater Diverter.

Rainwater
Hoppers & Motifs

Standard: BS EN 12200 -1

FL70 / TR70 / DS70 / LH55 / LH70 cannot be used with RH4.

Product	Code	Colour	Qty
Universal Hopper (Square/68mm Round)			
	RHS1	B W BR G	5
	RHS1	AG	5
	RH1	CI	1
Hopper (80mm Round)			
	RHH1	B W BR G	2
Ogee Hopper w/ Fixing Lugs (Square/68mm Round)			
	RH4	CI	1
	Requires 2x FC50 Fixings. See page 35.		
Rectangular Hopper w/ Fixing Lugs (Square/68mm Round)			
	RH5	CI	1
	Requires 2x FC50 Fixings. See page 35. Product is rotationally moulded, so subject to bowing along its length up to +/- 4%.		
XtraFlo Hopper (110mm Round)			
	RHX1	B W G AG	1
Fleur-de-Lis			
	FL55	CI	1
	FL70	CI	1
Tudor Rose			
	TR55	CI	1
	TR70	CI	1
Decorative Square			
	DS55	CI	1
	DS70	CI	1
Lion's Head			
	LH55	CI	1
	LH70	CI	1

Stormsaver Rainwater Harvesting

With the average home owner using around 150 litres of water per day, the Stormsaver Rainwater Harvesting System will enable the metered home owner to recycle rainwater and potentially reduce their bills by up to 50%, whilst remaining kinder to the environment.

StormSaver can also alleviate pressure on local drainage in line with Sustainable Drainage Schemes (SuDS), to help prevent flood risk.

Benefits of using StormSaver:

- ✔ Uses over 75% less energy than other traditionally pumped Rainwater Harvesting Systems.
- ✔ Low decibel rating.
- ✔ Flow rate of 10 litres per minute (same as mains pressure).
- ✔ Compact control unit.
- ✔ Cost effective.
- ✔ Ideal for new build properties with up to 6 bedrooms.



Product	Size	Code	Qty
Stormsaver Package			
	1500L	S1500	1
	3000L	S3000	1
	5000L	S5000	1
	7500L	S7500	1
Package Includes: Underground Storage Tank, 235mm Entrance Shaft, Duty Lid, Control Panel, 1/2" Floating Suction Filter Kit, 20m 1/2" Flexible Suction Hose.			
Vehicle Duty Entrance Shaft & Lid			
	635mm	VDSL1	1
1/2" Flexible Suction Hose			
	40m	H40	1

Product	Size	Code	Qty
Level Sensor			
	N/A	LS1	1
Identification Tape & Label Pack			
	N/A	ID1	1
110mm Non-Return Valve-Single Flap			
	N/A	D550	1
D550 is required for the Stormsaver Rainwater Harvesting System to comply with BS 8515.			

Leaf & Weather Protection

Product	Code	Colour	Qty
GutterBrush Debris Eliminator (4m Length)			
	GB4	B W	10
FloGuard Leaf Protection System (5m Pack)			
	FG1	B	1
BalloonGuard Outlet Guard			
	OG1	B	10
DrainGuard			
	DG1	B	1
Snow/Tile Guard (2m Length)			
	SG1	N/A	10
Snow/Tile Guard Bracket			
	SG2	N/A	25

Ancillaries

Product	Code	Colour	Qty
Universal Rise & Fall Bracket			
	RF1	N/A	10
Rafter Bracket Top Fix			
	RR1	N/A	10
Rafter Bracket Side Fix			
	RR2	N/A	10
Compressed Silicone Lubricant Spray (40ml)			
	SL40	N/A	12
Universal Fascia Bracket Spacer (8mm)			
	RS9	B W	
Spacer Bracket (8mm) - For 68mm Round			
	RC9	B W	10
Spacer Bracket (8mm) - For 65mm Square			
	RCS9	B W	10
Cast Iron Fixings - 12 Gauge x 50mm (Price per 10 Bag)			
	FC50	CI	1



Soil & Waste Systems

FloPlast offer a comprehensive choice of Soil and Waste systems and products, in a range of sizes and colours, to suit all tastes and applications.

The FloPlast 'Cast Iron' Style Soil Systems offer the authentic look of Cast Iron with all the benefits of PVC. This soil system complements the well-established Half Round, Niagara & Hi-Cap 'Cast Iron' Style Rainwater Systems.

FloPlast 32/40/50mm ABS Solvent Weld, 110mm Solvent and Ring Seal Soil Products have been awarded the BSI Kitemark.



Range Benefits



Consistent
Colour Finish



Tough &
Durable



Lightweight
Design



Great Chemical
Compatibility



110 mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

Product		Code	Colour	Qty
Plain Ended Pipe				
	3m	SP1	B W G	2
	3m	SP1	AG	2
	4m	SP2	B G	2
Single Socket Pipe				
	1m	SP8	B W G	2
	2.5m	SP7	B G	2
	3m	SP3	B W G	2
	3m	SP3	AG	2
	4m	SP4	B W G	2
Pipe Clip				
		SP82	B W G	10
		SP82	AG	10
Socket Clip				
		SP83	B G	10
Double Socket Pipe Coupling				
		SP105	B W G	20
		SP105	AG	10
	Can be used as a Slip Coupler with removal of centre tabs.			
Single Socket Pipe Coupling				
		SP124	B W G	20
		SP124	AG	10
Socket/Spigot Access Pipe				
		SP274	B W G	10
		SP274	AG	10


Product		Code	Colour	Qty
Socket/Solvent Socket Access Pipe				
		SP275	B G	5
92 1/2° (87 1/2°) Socket/Spigot Bend				
		SP161	B W G	10
		SP161	AG	10
92 1/2° (87 1/2°) Double Socket Bend				
		SP561	B W G	10
		SP561	AG	10
112 1/2° (67 1/2°) Socket/Spigot Bend				
		SP162	B W G	10
135° (45°) Socket/Spigot Bend				
		SP163	B W G	10
		SP163	AG	10
135° (45°) Double Socket				
		SP563	B W G	10
		SP563	AG	10
92 1/2° (87 1/2°) Access Bend				
		SP169	B W G	5
		SP169	AG	5

Product	Code	Colour	Qty
Adjustable Bend 0-90°			
	SP560	B W G	2
	SP560	AG	2
	SP560 is made of PP, therefore it isn't suitable for Solvent Weld.		
Ring Seal Top/Solvent Bottom Offset Bend 135° (45°)			
	SP440	B W G	10
Spigot/Solvent Socket Offset Bend 135° (45°)			
	SP435	B W G	10
92 1/2° (87 1/2°) Branch			
	SP190	B W G	5
	SP190	AG	5
112 1/2° (67 1/2°) Branch			
	SP200	B W G	5
135° (45°) Branch			
	SP210	B W G	3
92 1/2° (87 1/2°) Double Branch			
	SP230	B W G	1
	SP230	AG	1

Product	Code	Colour	Qty
92 1/2° (87 1/2°) Corner Branch			
	SP232	B W G	1
	SP232	AG	1
	Please note that the SP560 will be made to order.		
92 1/2° (87 1/2°) Access Branch			
	SP502	B W G	5
Screwed Access Cap			
	SP292	B W G	5
	SP292	AG	5
Socket Plug			
	SP296	B W G	10
	SP296	AG	10
Strap Boss			
	SP319	B W G	10
	SP319	AG	10
Socket/Spigot Boss Pipe			
	SP581	B W G	5
Socket/Solvent Socket Boss Pipe			
	SP582	B G	5



110 mm Ring Seal Soil Systems

Product	Code	Colour	Qty
Short Boss Pipe			
	SP583	B W G	5
	SP583	AG	5
Soil Manifold - 32/40/50mm Connections			
	SP588	B G	1
Weathering Collar			
	SP300	B W G	5
Vent Terminal			
	SP302	B W G	5
	SP302	AG	5
Extract Cowl			
	SP310	B W G	1
Weathering Slate 500x600mm			
	SP320	N/A	1
110mm Fire Protection Collar			
	FC110	N/A	1

Ring Seal Reducers & Adaptors

Standard: BS EN 1329-1, BS EN 1453-1

Product		Code	Colour	Qty
Boss Adaptor - Rubber Push-Fit				
	32mm	SP10	N/A	10
	40mm	SP11	N/A	10
	50mm	SP12	N/A	10
Solvent Boss Adaptor				
	32mm	SP20	B W G	10
	40mm	SP20	AG	10
		SP21	B W G	10
		SP21	AG	10
	50mm	SP22	B W G	10
110mm to 32/40/50mm Waste Adaptor				
		SP95	B W G	10
	Use with an appropriate Boss Adaptor.			
110x68mm Rainwater Reducer				
		SP96	B W G	10
110x82mm Soil Reducer				
		SP97	G	10
Universal Waste Adaptor - 32/40/50mm				
		D95	N/A	10
Drain Connector				
		SP107	B G	10
Universal Pipe Connector - Adapt to Soil/Clay/ Drainage				
		SP140	B G	1

'Cast Iron' Style 110 mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

The FloPlast 'Cast Iron' Style Rainwater and Soil Systems offer the authentic look of Cast Iron with all the benefits of PVC.

This soil system complements the well-established Half Round, Niagara & Hi-Cap 'Cast Iron' Style Rainwater Systems.

'Cast Iron' Style Double Branch with Socket Shroud

Product	Code	Colour	Qty
1.8m Plain Ended Pipe			
	SP9	cl	2
110mm Pipe Coupling			
	SP115	cl	3
	The 110mm Pipe Coupling requires 2 x FC65 Fixings.		

Product	Code	Colour	Qty
Pipe Clip			
	SP84	cl	5
	The Pipe Clip requires 2 x FC65 Fixings.		
Cast Iron Fixings (£ Price per Bag of 10)			
	FC65	cl	1

'Cast Iron' Style 110 mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

Product	Code	Colour	Qty
8mm Pipe Spacer Bracket			
	SP89	ci	5
92 1/2° (87 1/2°) Socket/Spigot Bend with Socket Shroud			
	SP161	ci	3
92 1/2° (87 1/2°) Double Socket Bend with Socket Shroud			
	SP561	ci	3
135° (45°) Socket/Spigot Bend with Socket Shroud			
	SP163	ci	5
135° (45°) Double Socket Bend with Socket Shroud			
	SP563	ci	3
92 1/2° (87 1/2°) Access Bend with Socket Shroud			
	SP169	ci	2
92 1/2° (87 1/2°) Branch & Socket Shroud with Side Bosses			
	SP190	ci	2
92 1/2° (87 1/2°) Branch & Socket Shroud without Side Bosses			
	SP192	ci	2

Product	Code	Colour	Qty
92 1/2° (87 1/2°) Double Branch with Socket Shroud			
	SP230	ci	1
Socket/Spigot Access Pipe with Socket Shroud			
	SP274	ci	2
Socket/Spigot Boss Pipe with Socket Shroud			
	SP581	ci	2
Strap Boss			
	SP319	ci	2
Use Solvent Cement with caution, or use external Silicone Sealant. See Page 51.			
110mm Vent Terminal			
	SP302	ci	2
110mm Weathering Collar			
	SP300	ci	2



110 mm Solvent Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

Product	Code	Colour	Qty
Pipe - Plain Ended			
	3m	SS1	B OG 2
	4m	SS2	B OG 2
Pipe Clip			
	SS82	B OG	10
Double Socket Pipe Coupling			
	SS106	B OG	10
Single Socket Solvent/Ring Seal Pipe Coupling			
	SS107	B OG	10
135° (45°) Ring Seal Top Solvent Bottom Offset Bend			
	SS440	B OG	10
135° (45°) Spigot/Socket Offset Bend			
	SS435	B OG	10
92 1/2° (87 1/2°) Double Socket Bend			
	SS561	B OG	10
135° (45°) Double Socket Bend			
	SS563	B OG	10



Product	Code	Colour	Qty
90° Spigot/Socket Bend			
	SS168	B OG	10
92 1/2° (87 1/2°) Double Socket Access Bend			
	SS569	B OG	5
92 1/2° (87 1/2°) Triple Socket Branch			
	SS191	B OG	5
135° (45°) Triple Socket Branch			
	SS211	B OG	5
92 1/2° (87 1/2°) Triple Socket Access Branch			
	SS503	B OG	5
Vent Terminal			
	SS302	B OG	10
Short Boss Pipe			
	SS583	B OG	10
Strap Boss			
	SS319	B OG	10

110 mm Solvent Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

Product	Code	Colour	Qty
Boss Adaptor			
	32mm SS20	B OG	10
	40mm SS21	B OG	10
Double Socket Access Pipe			
	SS275	B OG	10
Screwed Access Cap			
	SS292	B OG	10



Double Socket Access Pipe in Olive Grey

Air Admittance Valves

Standard: BS EN 12380 Attestation Level 4



Product	Code	Colour	Qty
82/110mm Air Admittance Valve Push-Fit			
	AF110	B W G	12
	For 82mm solvent connection, remove seal from 110mm push-fit.		
110mm Air Admittance Valve Solvent			
	AV110	B W G	12
82/110mm External Air Admittance Valve			
	AX110	B W G	12
	AX110	AG	12
For 82mm solvent connection, remove seal from 110mm push-fit.			
32/40/50mm Air Admittance Valve Solvent			
	AF32	W	10
32mm Air Admittance Valve Compression			
	AV32	W	10
40mm Air Admittance Valve Compression			
	AV40	W	10
50mm Air Admittance Valve Compression			
	AV50	W	10

Soil-WC Connectors

Standard: BS EN 1329-1, BS 5627

Product	Code	Colour	Qty
Swan Neck Connector			
	SP100	W	10
Straight Connector			
	SP101	W	10
Offset Connector			
	SP102	W	10
90° Bend Connector			
	SP103	W	10
250mm Extension Connector			
	SP104	W	10
Flexible Connector			
	SP106	W	15
14° Connector			
	SP108	W	10

ABS Solvent Weld Waste Systems

Standard: BS EN 1455-1

Product	Size	Code	Colour	Qty
3m Wastepipe				
	32mm	WS01	B W G	20
	32mm	WS01	AG	10
	40mm	WS02	B W G	20
	40mm	WS02	AG	10
	50mm	WS03	B W G	10
Straight Coupling				
	32mm	WS07	B W G	25
	32mm	WS07	AG	10
	40mm	WS08	B W G	25
	40mm	WS08	AG	10
	50mm	WS09	B W G	10
90° Bend				
	32mm	WS10	B W G	25
	32mm	WS10	AG	10
	40mm	WS11	B W G	25
	40mm	WS11	AG	10
	50mm	WS12	B W G	10
92 1/2° (87 1/2°) Bend				
	32mm	WS14	B W G	25
	32mm	WS14	AG	10
	40mm	WS15	B W G	25
	40mm	WS15	AG	10
	50mm	WS16	B W G	10
135° (45°) Bend				
	32mm	WS18	B W G	25
	32mm	WS18	AG	10
	40mm	WS19	B W G	25
	40mm	WS19	AG	10
	50mm	WS20	B W G	10
90 1/2° (87 1/2°) Cross Tee				
	40mm	WS58	W	10

ABS Solvent Weld Waste Systems

Standard: BS EN 1455-1



Product	Size	Code	Colour	Qty
Tee				
	32mm	WS22	B W G	20
	32mm	WS22	AG	10
	40mm	WS23	B W G	20
	40mm	WS23	AG	10
	50mm	WS24	B W G	5
90° Conversion Bend				
	32mm	WS26	B W G	25
	32mm	WS26	AG	10
	40mm	WS27	B W G	25
	40mm	WS27	AG	10
	50mm	WS28	B W G	5
135° (45°) Conversion Bend				
	32mm	WS76	W G	25
	40mm	WS77	W G	25
Access Plug				
	32mm	WS30	B W G	10
	32mm	WS30	AG	5
	40mm	WS31	B W G	10
	40mm	WS31	AG	5
	50mm	WS32	B W G	5
Pipe Clip				
	32mm	WS34	B W G	100
	32mm	WS34	AG	50
	40mm	WS35	B W G	100
	40mm	WS35	AG	50
	50mm	WS36	B W G	10
135° (45°) Branch				
	32mm	WS42	W	10
	40mm	WS43	W G	10

Product	Size	Code	Colour	Qty
Reducer				
	40 x 32mm	WS38	B W G	25
	40 x 32mm	WS38	AG	10
	50 x 32mm	WS39	B W G	5
	50 x 32mm	WS39	AG	5
	50 x 40mm	WS40	B W G	5
Level Invert Reducer				
	40 x 32mm	WS50	W	10
Tank Connector				
	32mm	WS60	W G	10
	40mm	WS61	W G	10
Male Adaptor				
	32mm	WS63	W	5
	40mm	WS64	W	5
Female Adaptor				
	32mm	WS66	W	5
	40mm	WS67	W	5

Please note the WS22 dimensions have changed from January 2023, see our website for more details.

Push-Fit Waste Systems

Standard: BS EN 1451-1

Product	Size	Code	Colour	Qty
3m Wastepipe				
	32mm	WP01	B W G	20
	40mm	WP02	B W G	20
	50mm	WP03	G	10
Straight Coupling				
	32mm	WP07	B W G	25
	40mm	WP08	B W G	25
	50mm	WP09	G	10
90° Bend				
	32mm	WP10	B W G	25
	40mm	WP11	B W G	25
	50mm	WP12	G	10
90 1/2° (87 1/2°) Bend				
	32mm	WP14	B W G	25
	40mm	WP15	B W G	25
	50mm	WP16	G	10
135° (45°) Bend				
	32mm	WP18	B W G	25
	40mm	WP19	B W G	25
	50mm	WP20	G	10
Tee				
	32mm	WP22	B W G	20
	40mm	WP23	B W G	20
	50mm	WP24	G	5
90° Conversion Bend				
	32mm	WP26	B W G	10
	40mm	WP27	B W G	10
Socket Plug				
	32mm	WP30	B W G	10
	40mm	WP31	B W G	10
	50mm	WP32	G	5

Product	Size	Code	Colour	Qty
Pipe Clip				
	32mm	WP34	B W G	100
	40mm	WP35	B W G	100
	50mm	WP36	G	10
Reducer				
	40 x 32mm	WP38	B W G	10
	50 x 32mm	WP39	G	5
	50 x 40mm	WP40	G	5
Tank Connector				
	32mm	WP60	B W G	10
	40mm	WP61	B W G	10

Remember to use FloPlast's Lubricant Gel when installing any Push-Fit Pipe & Fittings, see page 51.



FlexiFlo Connectors

 Provides a Watertight Seal

 Great Chemical Compatibility

 Ideal for Small Spaces

Product	Size	Code	Qty
Coupling			
	30 - 38mm	WF07	10
	38 - 45mm	WF08	10
Elbow			
	40 - 48mm	WF11	10
	105 - 116mm	SP111	1

Unicom Compression Waste Systems

Standard: BS EN 1451-1

Product	Size	Code	Colour	Qty
3m Wastepipe				
	32mm	WP01		20
	40mm	WP02		20
Straight Coupling				
	32mm	WC07		10
	40mm	WC08		10
90° Bend				
	32mm	WC10		10
	40mm	WC11		10
0-90° Adjustable Bend				
	32mm	WC14		10
	40mm	WC15		10
135° (45°) Bend				
	32mm	WC18		10
	40mm	WC19		10
Tee				
	32mm	WC22		10
	40mm	WC23		10
90° Conversion Bend				
	32mm	WC26		10
	40mm	WC27		10

Product	Size	Code	Colour	Qty
Reducer				
	40 x 32mm	WC38		10
Flexi-Tube				
	32mm	FT32		25
	40mm	FT40		25

'Chrome' Style Compression Waste

Standard: BS EN 1455, BS EN 1451-1, BS EN 274

Product	Size	Code	Colour	Qty
1.1m Wastepipe				
	32mm	CW01		1
	40mm	CW02		1
Straight Coupling				
	32mm	CW07		1
	40mm	CW08		1
90° Bend				
	32mm	CW10		1
	40mm	CW11		1
Tee				
	32mm	CW22		1
	40mm	CW23		1

21.5 mm Overflow Waste Systems

Product	Code	Colour	Qty
3m Overflow Pipe			
	OS01	 	10
Straight Coupling			
	OS10	 	100
90° Bend			
	OS11	 	100
135° (45°) Bend			
	OS12	 	100
Tee			
	OS13	 	100
Straight Tank Connector			
	OS14	 	25
Bent Tank Connector			
	OS15	 	25
Pipe Clip			
	OS16	 	100
Overflow Waste Reducer			
	OS17	 	10
	OS18	 	10

Bath & Shower Trap Fittings

Standard: BS EN 274-1

Product	Size	Code	Colour	Qty
38mm Seal Shallow Bath Trap				
	40mm	TSB42		25
50mm Seal Low Level Bath Trap				
	40mm	TLB45		25
Plastic Grid Shower Traps				
	40 x 19mm	TH41		25
	40 x 50mm	TH51		25
Chrome Grid Shower Trap				
	40 x 19mm	TH43		25
	40 x 50mm	TH53		25
Wet Room Shower Trap				
	40 x 50mm	TH54		5



'Chrome' Style Compression Waste Fittings

Waste Trap Fittings

Standard: BS EN 274-1

Product	Size	Code	Colour	Qty
38mm Seal 'P' Trap				
	32mm	TP33		25
	40mm	TP43		25
76mm Seal 'P' Trap				
	32mm	TP37		25
	40mm	TP47		25
38mm Seal 'S' Trap				
	32mm	TS33		25
	40mm	TS43		25
76mm Seal 'S' Trap				
	32mm	TS37		25
	40mm	TS47		25
76mm Seal Telescopic 'P' Trap				
	40mm	TP47T		25
76mm Seal Running 'P' Trap				
	40mm	TR47		25
Washing Machine Trap				
	40mm	TW470		25
76mm Seal Appliance Half 'P' Trap				
	40mm	TW473		20

Product	Size	Code	Colour	Qty
76mm Seal Double Nozzle Trap				
	40mm	TW477		1
76mm Seal Appliance Half Bottle Trap				
	40mm	TW474		20
38mm Bottle Trap				
	32mm	TB33		25
	40mm	TB43		25
76mm Seal Bottle Trap				
	32mm	TB37		25
	40mm	TB47		25
76mm Seal Anti Vac Bottle				
	32mm	TB37A		25
	40mm	TB47A		25
76mm Seal Telescopic Bottle Trap				
	32mm	TB37T		25
	40mm	TB47T		25
76mm Telescopic Bottle Trap				
	32mm	CT37T		1
	40mm	CT47T		1
Plain Swivel Elbow				
	32mm	WC26		10
	40mm	WC27		10

Waste Trap Fittings

Standard: BS EN 274-1

Product	Size	Code	Colour	Qty
76mm Seal Telescopic Pedestal Trap				
	32 x 32mm	TD372T		25
	32 x 40mm	TD374T		25
	Patent No. GB236258. Registered Design No. 2092016			
Washing Machine Tee				
	40mm	TWT41		25
7 Washing Machine Kit				
	40mm	TW471		20
Washing Machine/Dishwasher Nozzle				
	40mm	THC40		25
Overflow & Hose Connector				
	40mm	THC41		25
Trap Height Adjustor				
	32mm	TA33		1
	40mm	TA43		1
Trap Seal Kits (4 Piece)				
	32mm	TK32	N/A	1
	40mm	TK40	N/A	1

Product	Size	Code	Colour	Qty
76mm Seal Single Bowl Sink Kit				
	40mm	TW472		25
76mm Seal 1 1/2° Bowl Sink Kit				
	40mm	TW475		1
76mm Seal Double Bowl Sink Kit				
	40mm	TW476		1

Ancillaries

Product	Size	Code	Qty
Compressed Silicone Lubricant Spray			
	40ml	SL40	12
Lubricant Gel			
	800g	SG800	12
Silicone Grease			
	100g	SG100	1
Solvent Cement			
	125ml	SC125	10
	250ml	SC250	12



Underground Drainage Systems

FloPlast Underground Drainage Systems are available in 110mm and 160mm sizes. All drainage pipes and the majority of fittings are manufactured from unplasticised Polyvinyl Chloride (PVC-U). Inspection chambers, 0 - 90° adjustable bend, bottle gully traps and gully grids are manufactured from polypropylene.

FloPlast socketed underground pipe utilises the latest blown end technology and conforms to SN8 standards. The easy fit rubber seal is held in place via a circular plastic insert allowing a retention of the seal in transit and a perfect connection for jointing.

All Push-Fit underground fittings have a captive seal and snap cap. These are designed to be user-friendly with no sharp edges and with space restrictions in mind, allow for an easy fit connection. The seal is double ribbed, and the sockets incorporate a recessed area to provide space for the rubber seal to locate as the pipe is inserted, forming a high-capacity pressure point.



Range Benefits



Tough &
Durable



Withstands
High Temps.



Lightweight
Design



Wide Range
of Fittings

110mm Pipe & Fittings

Standard: BS EN 1401-1, BS EN 13476-2, BS 4962



Product	Size	Code	Qty
Plain Ended Pipe (£/unit)			
	3m	D043	1
	6m	D046	1
Single Socket Pipe (£/unit)			
	3m	D143	1
	6m	D146	1
Perforated Plain Ended (£/unit)			
	6m	D046P	1
Single Socket Pipe Coupling (£/unit)			
	N/A	D124	10
Double Socket Coupling (£/unit)			
	N/A	D105	20
Single Socket Bend (£/unit)			
	87 1/2° Spigot/ Socket	D161	10
Single Socket Bend (£/unit)			
	45° Socket/ Spigot	D163	10
Single Socket Bend (£/unit)			
	30° Socket/ Spigot	D164	10

Product	Size	Code	Qty
Single Socket Bend (£/unit)			
	15° Socket/ Spigot	D167	10
Double Socket Bend (£/unit)			
	87 1/2°	D561	10
Double Socket Bend (£/unit)			
	45°	D563	10
Double Socket Bend (£/unit)			
	30°	D564	10
Double Socket Bend (£/unit)			
	15°	D567	10
Adjustable Bend (£/unit)			
	0-90°	D560	10
Rest Bend (£/unit)			
	87 1/2°	D571	5
Settlement Rest Bend (£/unit)			
	87 1/2°	D570	2

Product	Size	Code	Qty
Plain End Large Radius Bend (£/unit)			
	87 1/2°	D281	1
Plain End Large Radius Bend (£/unit)			
	45°	D283	1
Plain End w/ Channel Access Large Radius Bend (£/unit)			
	87 1/2°	D581	1
Plain End with Channel Access Large Radius Bend (£/unit)			
	45°	D583	1
Equal Junctions Double Socket (£/unit)			
	87 1/2°	D190	5
Equal Junctions Double Socket (£/unit)			
	45°	D210	5
Equal Junctions Triple Socket (£/unit)			
	87 1/2°	D191	5
Equal Junctions Triple Socket (£/unit)			
	45°	D211	5

Product	Size	Code	Qty
Access Bend (£/unit)			
	87 1/2° Socket/ Spigot	D169	1
Access Pipe (£/unit)			
	Socket/ Spigot	D274	5
Screwed Access Cap (£/unit)			
	N/A	D292	1
PE Channel Access Pipe (£/unit)			
	1m	D870	1
PVC Oval Rodding Point (£/unit)			
	Spigot	D881	5
PVC Oval Rodding Point (£/unit)			
	Socketed	D882	5
PVC Square Rodding Point (£/unit)			
	Spigot	D883	5
PVC Square Rodding Point (£/unit)			
	Socketed	D884	1

110mm Fittings

Standard: BS EN 1401-1



Product	Size	Code	Qty
Universal Gully Trap (£/unit)			
	45° Socket / Spigot	D500	1
Low Back 'P' Trap (£/unit)			
	90° Socket / Spigot	D501	1
Leaf/Debris Interceptor Gully (£/unit)			
	Adjustable Spigot	D94	1
Circular Grid Bottle Gully (£/unit)			
	110mm Socket	D510	1
Square Grid Bottle Gully (£/unit)			
	110mm Socket	D515	1
Rectangular Grid Bottle Gully (£/unit)			
	110mm Socket	D520	1
Rectangular Grid Back Inlet Bottle Gully (£/unit)			
	110mm Socket	D530	1
Circular Grid Back Inlet Bottle Gully (£/unit)			
	110mm Socket	D540	1

Product	Size	Code	Colour	Qty
Riser (£/unit)				
	200mm	D505	N/A	1
Single Flap Non-Return Valve (£/unit)				
	110mm	D550	N/A	1
Drain Connector (£/unit)				
	N/A	SP107	B G	10
Flexible Coupling (£/unit)				
	98 - 115mm	D102	N/A	1
Flexible Adaptor (£/unit)				
	98 - 115mm to 120 - 136mm	D103	N/A	1

110mm Plugs

Standard: BS EN 1401-1

Product	Size	Code	Qty
Socket Plug (£/unit)			
	110mm	D800P	1
Contract Socket Plug (£/unit)			
	110mm	D550	1

110mm Adaptors

Standard: BS EN 1401-1

Product	Size	Code	Colour	Qty
110mm to 32/40/50mm Waste Adaptor (£/unit)				
	110 to 32, 40, 50mm	SP95	B W G	10
Use with an appropriate Boss Adaptor.				
Rainwater Adaptor (£/unit)				
	110 x 68mm	SP96	B W G	10
Universal Waste Adaptor (£/unit)				
	32mm / 40mm / 50mm	D95	N/A	10
Universal Square/Round Rainwater Adaptor (£/unit)				
	68/65 x 110mm	D96	N/A	10
Adaptor (£/unit)				
	80 x 110mm	D97	N/A	10
Socket/Spigot Level Invert Adaptor (£/unit)				
	160 x 110mm	D99	N/A	1
Supersleve Clay DS Adaptor (£/unit)				
	N/A	D100	N/A	1
Hepsleve Clay DS Adaptor (£/unit)				
	N/A	D101	N/A	1

Remember to use FloPlast's Lubricant Gel when installing Underground Pipe & Fittings, see page 51.



110mm Hoppers & Grids

Standard: BS EN 1401-1

Product	Code	Qty
Universal Square Hopper w/ PP Grid (£/unit)		
	D504	10
Universal Rectangular Hopper w/ PP Grid (£/unit)		
	D506	5
Universal Trap Square Grid (£/unit)		
	D502	10
Universal Trap Rectangle Blank Grid Cover (£/unit)		
	D507	5
Universal Trap Square Blank Grid Cover (£/unit)		
	D508	5
Round Hopper with Grid (£/unit)		
	D514	1
Square Hopper with Grid (£/unit)		
	D518	1
Rectangular Hopper with Grid (£/unit)		
	D524	1

110mm Access Chambers (LIC)

Standard: BS EN 1401-1, BS EN 124, BS EN 13598-1 & 2

Product	Size	Code	Qty
Large Inspection Chamber with 5 Flexible Inlets (£/unit)			
	450mm diameter x 270mm deep	D900	1
	5 x 110mm flexible inlets allow for 0-20° of movement. Supplied with 4 socket plugs.		
Large Inspection Chamber with 5 Fixed Inlets (£/unit)			
	450mm diameter x 270mm deep	D910	1
	Supplied with 4 socket plugs.		
Extension Riser (£/unit)			
	235mm	D915	1
	D915 can be cut to size.		
Extension Riser & Seal (£/unit)			
	235mm	D916	1
	D916 can be cut to size.		
Riser Sealing Ring (£/unit)			
	340mm	D935	1
	Please note that D935 should be used with each riser.		
Plastic Cover & Round Frame - A15 Rating (£/unit)			
	450mm	D930	1
Plastic Cover & Round Frame - A15 Rating (£/unit)			
	450mm	D931	1
	350mm restricted access. For use with I.C over 1.2m deep up to 3m.		

Product	Size	Code	Qty
Cast Iron Cover & Plastic Frame - A15 Rating (£/unit)			
	450mm	D923	1
	For replacement purposes only. From the end of June 2023, this product will be replaced by D924 Ductile Iron Cover.		

Benefits of D924 Ductile Iron Access Chamber Cover:


- ✓ D924 has a load capacity of 15/35Kn
- ✓ Indexed cover ensures correct first time fit.
- ✓ Safety keyway prevents accidental disengagement of the lifting key during handling.
- ✓ Labrinth seal helps prevent odour escape/water ingress.

Product	Size	Code	Qty
Square/Round Block Paving Cover (£/unit)			
	450mm	D933	1
Ductile Iron Cover/Frame - B125 Rating (£/unit)			
	450mm	D934	1
	Conforms to the requirements of SFA7.		
Plastic Cover & Square Frame - A15 Rating (£/unit)			
	450mm	D940	1
	Achieved an A15 Rating.		
Plastic Cover & Square Frame - A15 Rating (£/unit)			
	450mm	D941	1
	350mm Restricted Access. To conform with document H Building Regulations H2015 use with D930/ D931/D940/D941. 450mm Access Chamber Covers are compatible with 160mm Access Chamber Bases.		

110mm Access Chambers (MAC)

Standard: BS EN 1401-1, BS EN 124, BS EN 13598-1 & 2

Product	Size	Code	Qty
Mini Access Chamber with 5 x 110mm Flexible Inlets			
	300mm diameter x 270mm deep	D800	1
	5 x flexible inlets allow for 0-20° of movement. Supplied with 4 socket plugs.		
Mini Access Chamber with 3 x 110mm 45° Flexible Inlets			
	300mm diameter x 270mm deep	D801	1
	3 x flexible inlets allow for 0-20° of movement. Supplied with 2 socket plugs.		
Mini Access Chamber with 3 x 110mm 90° Flexible Inlets			
	300mm diameter x 270mm deep	D802	1
	3 x flexible inlets allow for 0-20° of movement. Supplied with 2 socket plugs.		
Mini Access Chamber with 3 x 110mm 45° Fixed Inlets			
	300mm diameter x 270mm deep	D810	1
	Supplied with 2 socket plugs.		
Chamber Riser with Integral Rubber Ring			
	100mm	D820	10
	Available for cutting down to 60mm.		
Chamber Riser with Integral Rubber Ring			
	200mm	D822	5
	Available for cutting down to 60/100/150mm.		

Product	Size	Code	Qty
Square Sealed Plastic Screw Down Cover & Frame			
	340mm	D830	5
	Achieved an A15 Rating.		
Round Sealed Plastic Screw Down Cover & Frame			
	300mm	D831	1
	Achieved an A15 Rating.		
Square/Round Block Paving Cover			
	300mm	D932	1



160mm Pipe & Fittings

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124



Product	Size	Code	Qty
Plain Ended Pipe			
	6m	6D046	1
Single Socket Pipe			
	3m	6D143	1
	6m	6D146	1
Double Socket Coupling			
	N/A	6D105	1
Single Socket Bend			
	87 1/2° Spigot / Socket	6D161	1
Single Socket Bend			
	45° Socket /Spigot	6D163	1
Single Socket Bend			
	30° Socket /Spigot	6D164	1
Single Socket Bend			
	15° Socket /Spigot	6D167	1
Double Socket Bend			
	87 1/2°	6D561	1
Double Socket Bend			
	45°	6D563	1

Product	Size	Code	Qty
30° Double Socket Bend			
	30°	6D564	1
15° Double Socket Bend			
	15°	6D567	1
Equal Junctions Double Socket			
	87 1/2°	6D190	1
Equal Junctions Double Socket			
	45°	6D210	1
Equal Junctions Triple Socket			
	87 1/2°	6D191	1
Equal Junctions Triple Socket			
	45°	6D211	1
160 / 110mm Unequal Junction			
	87 1/2° Double Socket	6D198	1
160 / 110mm Unequal Junction			
	45° Double Socket	6D218	1
Single Flap Non-Return Valve			
	160mm	6D550	1

160mm Adaptors & Plugs

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124

Product	Size	Code	Qty
160x110mm Socket/Spigot Level Invert Adaptor			
	160 x 110mm Socket / Spigot	D99	1
Cast Iron/160mm Flexi-Adaptor			
	160mm	6D102	1



Product	Size	Code	Qty
Clay Adaptor			
	160 - 180mm to 180 - 200mm	6D104	1
Socket Plug			
	N/A	6D900P	1

160mm Access Chambers (LIC)

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124

Product	Size	Code	Qty
Large Inspection Chamber with 5x110mm Flexible Inlets			
	450mm diameter x 270mm deep	6D900	1
	Flexible inlets allow for 0-20° of movement. Supplied with 4 socket plugs.		
Plastic Cover & Round Frame			
	450mm	D930	1
Plastic Cover & Round Frame (350mm Restricted Access)			
	450mm	D931	1
	For use with I.C over 1.2m deep up to 3m. Achieved an A15 Rating.		
Cast Iron Cover & Plastic Frame			
	450mm	D923	1

FloDrain 110mm Channel Drainage

Standard: BS EN 1433 Attestation level 3

Product	Size	Code	Qty
Plastic Grate Channel Drainage (Pallet Qty 90)			
	1m length	D700	1
Plastic Grate Drain Corner			
	N/A	D710	6
Plastic Grate Sump/Trap Unit & Basket			
	N/A	D732	1
Galvanised Grate Channel Drainage (Pallet Qty 90)			
	1m length	D701	1
Galvanised Grate Drain Corner			
	N/A	D720	6
Galvanised Grate Sump/Trap Unit & Basket			
	N/A	D733	1
End Cap			
	N/A	D711	10
End Outlet			
	N/A	D712	10

Product	Size	Code	Qty
BalloonGuard			
	N/A	D714	1
Corner Spacer			
	N/A	D715	1
Threshold Channel Drain			
	1m length	D730	1



FloDrain Garage Packs

Standard: BS EN 1433 Attestation level 3

Product	Code	Qty
Plastic Grate Garage Pack (Pallet Qty 16)		
	D750	1
Includes: 3x 1m Channel Lengths, 1x End Cap & 1x End Outlet.		

Land Drainage

Standard: BS 4962
Licence No: KM557607

Land drainage is used to remove water & hydrostatic pressure from any area where excess water is a problem.

The perforations allow seeping water to ingress the pipe, capillary action then maintains the water within the pipe allowing it to flow to its destination.

Particularly beneficial in areas with heavy ground conditions i.e. clay, and agricultural or building construction sites.

Product	Size	Code	Qty
Coupling			
	80mm	LC80	1
	100mm	LC100	1
Multi-Junction Branch			
	60/80/100m	LJ100	1
110mm Perforated Plain Ended Pipe (Bale Qty 50)			
	6m	D046P	1
Land Drainage			
	80mm x 25m	L8025	1
	100mm x 25m	L10025	1
	Size (Nominal Length x Coil Length)		

Product	Code	Qty
Galvanised Grate Garage Pack (Pallet Qty 16)		
	D751	1
Includes: 3x 1m Channel Lengths, 1x End Cap & 1x End Outlet.		

GroundGuard

A lightweight and durable grass reinforcement, ground stabilisation and gravel retention system.

Manufactured from Polyethylene, GroundGuard is 90% porous, providing effective drainage of surface water. The robust system holds up to 200 tonnes per m², making it ideal for driveways, overflow lawn car parks, walkways, disabled access routes, shed bases and other vehicle access areas.

Product	Size	Code	Qty
GroundGuard Tiles 20 Pack = 3 ² m (Price per Pack of 20)			
	390 x 390 x 40mm	G40	20





MDPE Systems

FloPlast 'Supreme' range offers everything you could ask of a compression fitting. Suitable for use below ground on cold water services with polyethylene pipes manufactured in accordance with the requirements of BS EN 12201 - 2 (BLUE). All the 'Supreme' range of fittings are WRAS approved to resist pressure up to 16 bar.

Simple and quick to connect:

- To fit the pipe you don't need to dismantle the connector or chamfer the pipe.
- No time wasted; just cut the pipe, insert pipe liner, lubricate the seal, undo the nut a few turns, push the pipe in as far as it will go, tighten the nut and it's done!

Range Benefits



High Impact
Structure



Easy to
Install



WRAS
Approved

'Supreme' MDPE Fittings

Standard: BS EN 12201-2

Product	Size	Code	Qty
Pipe Liner			
	20mm	491000	50
	25mm	492000	50
	32mm	493000	25
Coupling			
	20mm	495112	10
	25mm	496112	10
	32mm	493012	10
	50mm	495012	1
	63mm	496012	1
90° Elbow			
	20mm	495115	10
	25mm	496112	10
	32mm	493015	10
	50mm	495015	1
	63mm	496015	1
90° Tee			
	20mm	495124	10
	25mm	496124	10
	32mm	493024	10
	50mm	495024	1
	63mm	496024	1
Terminal Cap			
	20mm	491006	10
	25mm	492006	10
	32mm	493006	10
Stopcock			
	20mm	495142	1
	25mm	496142	1
	32mm	493042	1
Reducing Coupling			
	25 x 20mm	496113	10
	32 x 25mm	493213	10
	50 x 32mm	495313	1

Product	Size	Code	Qty
Reducing 90° Tee			
	25 x 20 x 25mm	492125	1
	32 x 25 x 32mm	493225	1
	50 x 32 x 50mm	495325	1
Wall Plate Elbow			
	20mm x 1/2"	495105	10
	25mm x 3/4"	496105	10
Universal Adaptor - Fits plastic, lead, copper & zinc pipes			
	20 x 15-21mm	491007	1
	25 x 15-21mm	492007	1
	25 x 21-27mm	492008	1
	25 x 27-34mm	492009	1
Adaptor Kit for Copper Pipe			
	20 x 15mm	495103	1
	25 x 22mm	496103	1
Male Adaptor			
	20mm x 1/2"	491102	10
	20mm x 3/4"	495102	10
	25mm x 1/2"	492102	10
	25mm x 3/4"	496102	10
	25mm x 1"	492302	10
	32mm x 3/4"	493202	1
	32mm x 1"	493302	1
Female Adaptor			
	20mm x 1/2"	491103	10
	20mm x 3/4"	495203	10
	25mm x 1/2"	492103	10
	25mm x 3/4"	496203	10
	25mm x 1"	492303	10
	32mm x 3/4"	493203	1
	32mm x 1"	493303	1



MDPE Pipe



Nom. Size	Code	Qty
25m Medium Density Polyethylene Pipe Coil		
20mm	111601	1
25mm	112601	1
32mm	113601	1
50mm	115601	1
63mm	116601	1
50m Medium Density Polyethylene Pipe Coil		
20mm	111602	1
25mm	112602	1
32mm	113602	1
50mm	115602	1
63mm	116602	1
100m Medium Density Polyethylene Pipe Coil		
20mm	111603	1
25mm	112603	1
32mm	113603	1
50mm	115603	1
63mm	116603	1
150m Medium Density Polyethylene Pipe Coil		
20mm	111604	1
25mm	112604	1
32mm	113604	1



Hot & Cold Plumbing Systems

FloFit+ is a flexible and fully demountable push-fit plumbing system suitable for all domestic and small commercial hot & cold water installations.

FloFit+ enables the installer to undertake a faster, easier and more cost effective installation. Independent testing confirms time savings of up to 40% compared with traditional plumbing materials.

FloFit+ has a wide range of fittings in 10mm, 15mm, 22mm and 28mm sizes, both are WRAS approved for use with plastic and/or copper pipe, and Kitemarked to BS 7291 Parts 1, 2 & 3.



Range Benefits



Made in the UK



Lightweight Design



Superior White Finish



Underfloor Compatible



Fully Demountable

FloFit+ Fittings

Product	Size	Code	Qty
Pipe Insert			
	10mm	FXI10	50
	15mm	FXI15	50
	22mm	FXI22	50
	28mm	FXI28	20
Coupling			
	10mm	FC10	10
	15mm	FC15	10
	22mm	FC22	10
	28mm	FC28	2
Elbow			
	10mm	FB10	10
	15mm	FB15	10
	22mm	FB22	10
	28mm	FB28	2
Tee			
	10mm	FT10	10
	15mm	FT15	10
	22mm	FT22	10
	28mm	FT28	2
Stopend			
	10mm	FE10	10
	15mm	FE15	10
	22mm	FE22	10
	28mm	FE28	2
Reducing Coupling			
	15 x 10mm	FRC15	5
	22 x 15mm	FRC22	5
Chrome ISO Valve			
	15 x 15mm	FV15	1

Product	Size	Code	Qty
Reducing Tee			
	15 x 10 x 10mm	FRT151010	5
	15 x 15 x 10mm	FRT151510	5
	15 x 15 x 22mm	FRT151522	5
	22 x 15 x 15mm	FRT221515	5
	22 x 15 x 22mm	FRT221522	5
	22 x 22 x 10mm	FRT222210	5
	22 x 22 x 15mm	FRT222215	5
	22 x 22 x 28mm	FRT222228	2
	28 x 22 x 22mm	FRT282222	2
	28 x 22 x 28mm	FRT282228	2
	28 x 28 x 15mm	FRT282815	2
28 x 28 x 22mm	FRT282822	2	
Stem Elbow			
	10mm	FS10	5
	15mm	FS15	5
	22mm	FS22	5
	A Pipe Insert is required when using a Stem Elbow.		
Stem Reducer			
	10 x 15mm	FSR1015	5
	15 x 22mm	FSR1522	5
	15 x 28mm	FSR1528	1
	22 x 28mm	FSR2228	1
	A Pipe Insert is required when using a Stem Elbow.		
Bent Tap Connector			
	15mm	FBC1512	5
Tap Connector			
	15mm x 1/2"	FTC1512	5
	15mm x 3/4"	FTC1534	5
	22mm x 3/4"	FTC2234	5

Product	Size	Code	Qty
2 Port Manifold			
	22 x 15mm	FM22215	1
4 Port Manifold			
	22 x 15mm	FM22415	1
Flexi Hose			
	15mm x 1/2" x 300mm	FH10	1
	15mm x 3/4" x 300mm	FH12	1
	15 x 15 x 300mm	FH15	1
	22mm x 3/4" x 300mm	FH20	1
	22 x 22 x 300mm	FH22	1
Blue Cold Water Collet Clip			
	10mm	FCB10	50
	15mm	FCB15	50
	22mm	FCB22	50
	28mm	FCB28	10
Red Cold Water Collet Clip			
	10mm	FCR10	50
	15mm	FCR15	50
	22mm	FCR22	50
	28mm	FCR28	10

FloFit+ Pipe

Product	Nom. Size	Code	Qty
3m White PEX Barrier Pipe Length			
	15mm	121400	20
	22mm	122400	20
	28mm	122413	10
3m White Easy-Lay PB Pipe Length			
	15mm	124400	20
	22mm	125400	20
25m White Easy-Lay PB Pipe Coil			
	10mm	123401	1
	15mm	124401	1
	22mm	125401	1
	28mm	126401	1
50m White Easy-Lay PB Pipe Coil			
	10mm	123402	1
	15mm	124402	1
	22mm	125402	1
	28mm	126402	1
100m White Easy-Lay PB Pipe Coil			
	10mm	123403	1
	15mm	124403	1




Store Display Stand

To help with promoting this range, FloPlast offer a self contained display stand with shelving and dividers.

Contact your ASM for more details.





5 055149 924989 >

 **FloPlast Ltd**
Eurolink Business Park
Castle Road
Sittingbourne
Kent
ME10 3FP
United Kingdom

 **+ 44 (0)1795 431731**

 **+ 44 (0)1795 431188**

 **sales@floplast.co.uk**

 **www.floplast.co.uk**