Product Catalogue 2023



Instructions



# Everything you need to know about Freefoam

Freefoam's range includes fascia, soffit, rainwater, cladding, internal panelling and decking products designed for and supplied to the building industry in Ireland, the UK & Mainland Europe and backed by an industry leading Lifetime Guarantee. Whether you are:

- An Architect looking for a contemporary palette
- A Specifier or Developer requiring sustainable products
- A PVC Stockist looking to grow your business
- An Installer seeking high quality, easy-to-fit roofline products
- A Homeowner who wants peace of mind and a low maintenance home improvement solution



Find out more online at **WWW.freefoam.com** 





# Contents

Guarantee	4 - 5
Fascia and Soffit	6 - 13
Window Boards	14 - 15
Roofline and Window Board Accessories	16 - 17
Decorative Roofline	18 - 19
Fixing, Ventilation and Eaves Protection	20 - 21
Cladding	22 - 27
Rainwater Systems	28 - 33
Internal Panelling	34 - 39
Colour Roofline Visualiser	40
Scheduling Service	41
How to become a Freefoam Registered Installer	42 - 43
Installation Guide	44 - 51
Roofline and Cladding Maintenance	52 - 53
Freefoam the Colour Specialist	54
Colour options	55 - 56
Freefoam and the Environment	57



### Industry leading guarantees

Freefoam has made a life-long company commitment to make and guarantee long life products through refining technical and manufacturing resources and the cumulative experience of product performance over many years.



#### 50 Year Lifetime Extended Guarantee

Freefoam offers an extended 50 year Lifetime transferable guarantee on all white profiles in addition to the standard 20 year guarantee. The extended guarantee is available on roofline, cladding and rainwater installation projects, where only the Freefoam brand is used and fitted, and registered online by a Freefoam Registered Installer.

#### 20 Year Standard Guarantee

All white Freefoam products are automatically covered by its standard 20 year guarantee. Products are guaranteed not to warp, crack, discolour or blister and provide resistance to air pollution. This level of protection can simply be extended to the industry leading Lifetime Guarantee.





# 10 Year Guarantee

#### Colour

The Freefoam colour range of fascia, soffit, cladding and rainwater products is eligible for a 10 Year Guarantee unique in the roofline industry. Backed by Freefoam's own innovative Colormax®.

#### Woodgrain

The Freefoam woodgrain range of fascia, soffit and cladding is eligible for a 10 Year Guarantee. Manufactured with market leading Renolit EXOFOL MX foil with Solar Shield technology (SST) which offers built-in sun reflection that reduces heat absorption, thus minimising profile temperature and expansion.

#### Fully transferable

The Freefoam guarantee doesn't end when a property changes hands. It can be transferred to the new owners and subsequent owners so they can continue to enjoy the same peace of mind. Some guarantees only cover domestic properties, but the Freefoam guarantee can also be used by landlords and specifiers from Local Authorities, Housing Associations and commercial projects.

### See our full colour range

Unfold our handy colour swatch page at the back of this catalogue





# Fascia

A comprehensive range of fascia manufactured to last.

- Available in five styles: Square Leg, Square Edge, Bullnose, Ogee and Flat in a wide range of widths
- Fascia available as 9mm and 10mm Reveal Liner or 15mm, 18mm, 23mm and 25mm Full Replacement
- A wide range of colours featuring Freefoam patented Colormax® technology
- Woodgrain finishes produced using marketing leading Renolit Exofol with built in Solar Shield Technology



Find out more online at www.freefoam.com

# Square Leg Fascia/Plain Fascia

				w	hit	e		Co	lour		١	Noo	odgr	ain		
						BL	EB 0	SAB	DG	AG	WGM	WGB	WGR WGI	WGAG	WGCHG	WGATE
	Code	Description	Unit	Units per pack	White	Black	Leather Brown	Pale Gold Sable	Storm Grey Dark Grey	Anthracite Grey	Mahogany Light Oak	Black Ash	Rosewood Irish Oak	Anthracite Grey	Chartwell Green Cream	Agate Grey
	Square L	∟eg Fascia / Reveal Liner 10mm														
	FW100	100mm Square Leg Fascia	5m	4	٠											
	FW125	125mm Square Leg Fascia	5m	2	٠											
	FW150	150mm Square Leg Fascia	5m	2	٠					•		• •	•	٠		٠
	FW175	175mm Square Leg Fascia	5m	2	٠	٠	•	• •	• •	•		• •	• •	٠	• •	٠
	FW200	200mm Square Leg Fascia	5m	2	٠	٠	•	• •	• •	•		• •	• •	٠	• •	٠
	FW225	225mm Square Leg Fascia	5m	2	٠	٠	• •	• •	• •	•		• •	• •	٠	• •	٠
	FW250	250mm Square Leg Fascia	5m	2	٠					•		• •	•	٠		
	FW300	300mm Square Leg Fascia	5m	2	٠					•		• •	•	٠		
	FW400	400mm Square Leg Fascia	5m	2	٠					•		•	• •	٠	• •	•
	F410P	410mm Double Ended Square Leg Fascia	5m	2	٠	٠	• •	• •	• •	•						
	FW450	450mm Square Leg Fascia	5m	2	٠											
	F605P	605mm Double Ended Square Leg Fascia	5m	1	•	•	•	• •	• •	•						_
	Magnum	Square Leg Fascia 18mm														
	FMS150	150mm Magnum Square Leg Fascia	5m	2	٠	•	•	• •	• •	•		• •	•	٠		•
	FMS175	175mm Magnum Square Leg Fascia	5m	2	٠	٠	•	• •	• •	•		• •	• •	٠	• •	٠
	FMS200	200mm Magnum Square Leg Fascia	5m	2	٠	٠	•	• •	• •	•		•	• •	٠	• •	•
	FMS225	225mm Magnum Square Leg Fascia	5m	2	٠	٠	•	• •	• •	•		• •	•	٠		٠
	FMS250	250mm Magnum Square Leg Fascia	5m	2	٠	•	•	• •	• •	•		• •	•	٠		
	FMS300	300mm Magnum Square Leg Fascia	5m	2	٠	٠			•	•						
	FMS400	400mm Magnum Square Leg Fascia	5m	1						•	• •	• •	• •	٠	• •	٠
	FMS410	410mm Double Ended Magnum Square Leg Fascia	5m	1	٠	٠	•	• •	• •	•						
	FMS410.125	410mm Double Ended Magnum Square Leg Fascia	1.25m	2	•	٠			• •	•						
																_
	Magnum	Square Leg Fascia - 25mm														
	FMXS150	150mm Magnum Square Leg Fascia	5m	2	٠											
	FMXS175	175mm Magnum Square Leg Fascia	5m	2	٠											
	FMXS200	200mm Magnum Square Leg Fascia	5m	1	٠											
	FMXS225	225mm Magnum Square Leg Fascia	5m	1	٠											
	FMXS250	250mm Magnum Square Leg Fascia	5m	1	٠											
	FMXS405	405mm Double Ended Magnum Square Leg Fascia	5m	1	٠											
-																
		S / FMXS - Accessories														
	FWJ	300mm Square Joint	Piece	10	٠	٠	•	• •	• •	•		•	• •	٠	• •	
	FWX	300mm 90° Square External Corner	Piece	10	٠	٠	• •	• •	• •	•		• •	• •	٠	• •	_
	FWJJ	600mm Square Double Joint	Piece	10	٠	•	•	• •	• •	•	• •	•	• •	٠	• •	٠
	FWXX	600mm Square Double Corner	Piece	10	٠	٠	• •	• •	• •	•		•	• •	٠	• •	٠
See page 16	FWXI	300mm 90° Square Internal Corner	Piece	10	٠	٠	•	• •	• •	•	• •	• •	• •	٠	• •	•
for diagrams	FWFX	135° Square External Corner	Piece	10	٠	٠	٠			•		• •	• •	٠	• •	
	FWFXI	135° Square Internal Corner	Piece	10	٠	•	٠			•		• •	• •	٠	• •	
	FWEC	100mm End Cap	Piece (L&R)	10	٠		•									
	DAIDO		D'	10												

Piece

• Some colour products are subject to a lead time. Ask your stockist for details

300mm Large End Cap

FWDC

# **Ogee Fascia**

			W	White		(	Colo	our	Woodgrain
					ᆸᆸ	9 2	SAB	DG AG	WGM WGO WGB WGB WGCHG WGCHG
Code	Description	Unit	Units per pack	White	Black	Pale Gold	Storm Grev	Dark Grey Anthracite Grey	Mahogany Light Oak Black Ash Rosewood Irish Oak Anthracite Grey Chartwell Green Crearn
Ogee Fa	scia - 10mm								
FO100	100mm Ogee Cover Fascia	5m	4	٠					
FO150	150mm Ogee Cover Fascia	5m	2	٠					
FO175	175mm Ogee Cover Fascia	5m	2	٠					
FO200	200mm Ogee Cover Fascia	5m	2	٠					
FO225	225mm Ogee Cover Fascia	5m	2	•					
FO250	250mm Ogee Cover Fascia	5m	2	٠					
FO300	300mm Ogee Cover Fascia	5m	2	٠					
FO390	390mm Ogee Cover Fascia	5m	2	•					
Magnum	n Ogee Fascia - 18mm								
FMO150	150mm Magnum Ogee	5m	2	٠					
FMO175	175mm Magnum Ogee	5m	2	٠					
FMO200	200mm Magnum Ogee	5m	2	•					
FMO225	225mm Magnum Ogee	5m	2	٠					
FMO250	250mm Magnum Ogee	5m	2	٠					
FMO405	405mm Double Ended Magnum Ogee	5m	1	٠					
	0 - Accessories								
FOJ	Ogee Joint	Piece	10	•					
FOX	Ogee Corner	Piece	10	•					
FOJJ	600mm Oaee Double Joint	Piece	10	۰					

See page 16 for diagrams

	FO/FM	D - Accessories				
	FOJ	Ogee Joint	Piece	10	•	
	FOX	Ogee Corner	Piece	10	٠	
	FOJJ	600mm Ogee Double Joint	Piece	10	٠	
	FOXX	600mm Ogee Double Corner	Piece	10	٠	
	FOXI	Ogee Internal Corner	Piece	10	٠	
5	FOB	125° External Ogee Corner	Piece	10	٠	
	FOFX	135° External Ogee Corner	Piece	10	٠	
	FOFXI	135° Internal Ogee Corner	Piece	10	٠	
	FBOX	Ogee Moulded Corner	Piece	1	٠	
	FOBOX	Ogee Gable End Box (600 x 390mm)	Piece	1	٠	

See our full colour range



### **Bullnose Fascia**

		White Colour						Woodgrain								
					н.	a C	SAB	SG	DG	AG	WGM	MGO	WGB	NGI IDM	WGAG	WGCHG WGCR
Code	Description	Unit	Units per pack	White	Black	Learner Brown Pala Gold	Sable	Storm Grey		Anthracite Grey	Mahogany	Light Cak	Black Ash	Irish Oak	Anthracite Grey	Chartwell Green Cream
Magnum	Duo Fascia -15mm															
FMD150	150mm Magnum Duo Bullnose Fascia	5m	2	٠												
FMD175	175mm Magnum Duo Bullnose Fascia	5m	2	٠												
FMD200	200mm Magnum Duo Bullnose Fascia	5m	2	•												
FMD225	225mm Magnum Duo Bullnose Fascia	5m	2	٠												
FMD225 FMD250	225mm Magnum Duo Bullnose Fascia 250mm Magnum Duo Bullnose Fascia	5m 5m		•												
	0		2	• •												

Magnum	Bullnose Fascia - 18mm				
FMR150	150mm Magnum Bullnose Fascia	5m	2	٠	
FMR175	175mm Magnum Bullnose Fascia	5m	2	٠	
FMR200	200mm Magnum Bullnose Fascia	5m	2	٠	
FMR225	225mm Magnum Bullnose Fascia	5m	2	٠	
 FMR250	250mm Magnum Bullnose Fascia	5m	2	٠	
FMR405	405mm Double Ended Bullnose Fascia	5m	1	٠	

	FMD/FM	R - Accessories				
	FMRJJ	600mm Bullnose Double Joint	Piece	10	•	
	FMRXX	600mm Bullnose Double Corner	Piece	10	٠	
<b>6</b> 16	FMRXI	Bullnose Internal Corner	Piece	10	٠	
See page 16	FMRFX	135° Bullnose External Corner	Piece	10	٠	
for diagrams	FMRFXI	135° Bullnose Internal Corner	Piece	10	٠	
	FMREC	100mm End Cap	Piece	10	٠	
	FMRDC	300mm End Cap	Piece	10	•	

# Square Edge Fascia

			White			White Colour			r		Woodgrai				
					BL	PG B	SAB	5 S C	AG	MGM	WGO	WGB	NGI	WGAG	WGCHG WGCR
Code	Description	Unit	Units per pack	White	Black	Leather Brown Pale Gold	Sable	Storm Grey	Anthracite Grey	Mahogany	Light Oak	Black Ash	Irish Oak		Chartwell Green Cream
Square E	Edged Fascia / Reveal Liner - 9mm														
FLP100	100mm Square Edge Cover Fascia	5m	2	٠											
FLP150	150mm Square Edge Cover Fascia	5m	2	٠											
FLP175	175mm Square Edge Cover Fascia	5m	2	٠											
FLP200	200mm Square Edge Cover Fascia	5m	2	٠											
FLP225	225mm Square Edge Cover Fascia	5m	2	٠											
FLP250	250mm Square Edge Cover Fascia	5m	2	٠											
FLP300	300mm Square Edge Cover Fascia	5m	2	٠											
FLP405	405mm Square Edge Cover Fascia	5m	1	•											

	FLP - Ac	cessories				
	FLJ	Square Edge Joiner	Piece	10	٠	
	FLX	External Square Edge Corner	Piece	10	٠	
	FLJJ	600mm Double Square Edged Joiner	Piece	10	٠	
See page 17	FLXX	600mm Double Square Edged Corner	Piece	10	٠	
for diagrams	FLXI	Internal Square Corner	Piece	10	٠	
ior diagrams	FLEC	End Cap	Piece (L&R)	10	٠	
	FLDC	Large End Cap	Piece	10	٠	

### Flat Fascia

	Magnum	Flat Fascia - 16mm				
and the second se	FMF100	100mm Magnum Flat Fascia	5m	2	٠	
	FMF125	125mm Magnum Flat Fascia	5m	2	٠	
	FMF150	150mm Magnum Flat Fascia	5m	2	٠	
	FMF175	175mm Magnum Flat Fascia	5m	2	٠	
	FMF200	200mm Magnum Flat Fascia	5m	2	٠	
	FMF250	250mm Magnum Flat Fascia	5m	2	٠	
	FMF300	300mm Magnum Flat Fascia	5m	2	٠	
	FFMJJ	600mm Double Ended Flat Fascia Joiner	Piece	10	٠	
	FFMXX	600mm Double Ended Flat Fascia Corner	Piece	10	٠	

Tudor Bo	oard - 25mm						
FMXT145	Tudor Board	5m	2		• •	• •	•



### **Colour Roofline Visualiser**

Freefoam have fifteen colour and woodgrain shades to choose from. Use this handy online tool to help visualise the different colour options in our fascia, soffit and guttering range.

Choose any combination of colours to plan your project.

Go to www.freefoam.com/professional

# Colour Roofline Visualiser





# Soffit and Hollow Soffit

A range of soffit, light to handle, easy to fit and designed to work with our fascia range.

- Standard General Purpose Board
- Pre Vented General Purpose Board and Double Vented General Purpose Board
- Hollow Soffit
- Range of matching fitting trims and accessories.

				W	hit	е		C	olo	ur		٧	Voc	dgr	ain		
						BL	EB 1	SAB	SG	DG	WGM	WGO	WGB	NGIN	WGAG	WGCHG WGCR	WGATE
	Code	Description	Unit	Units per pack	White	Black	Leather Brown	Pale Gold Sable	Storm Grey	Dark Grey	Anthracite Grey Mahonany	Light Oak	Black Ash	Hosewood Irish Oak	Anthracite Grey	Chartwell Green Cream	Agate Grey
	General	Purpose Board - 10mm															
	GPB100	100mm General Purpose Board	5m	4	٠												
	GPB100	100mm General Purpose Board	5m	2							•	٠	•	•	٠		
A COLUMN TWO IS NOT	GPB125	125mm General Purpose Board	5m	2	٠												
	GPB150	150mm General Purpose Board	5m	2	٠	٠	•	• •	٠	•	• •	٠	•	•	٠		٠
	GPB175	175mm General Purpose Board	5m	2	٠	•	•		٠	•	•	٠	•	• •	•	• •	
	GPB200	200mm General Purpose Board	5m	2	٠	٠	•	• •	٠	•	• •	٠	•	• •	•	• •	•
	GPB225	225mm General Purpose Board	5m	2	٠	•	•		٠	•	•	٠	•	• •	•	• •	
	GPB250	250mm General Purpose Board	5m	2	٠	•	•		٠	•	•	٠	•	•	٠		
	GPB300	300mm General Purpose Board	5m	2	٠	•	•		٠	•	•	٠	•	•	•	• •	•
	GPB350	350mm General Purpose Board	5m	2	٠				٠	•							
	GPB405	405mm General Purpose Board	5m	2	٠	٠	•	• •	٠	•	• •	٠	•	• •	•	• •	
	GPB450	450mm General Purpose Board	5m	2	٠												
	GPB500	500mm General Purpose Board	5m	2	٠												
	GPB605	600mm General Purpose Board	5m	1	•	٠	•	• •	٠	•	•	٠	•	•	٠		

• Some colour products are subject to a lead time. Ask your stockist for details



### See our full colour range

Unfold our handy colour swatch page at the back of this catalogue

# Soffit and Hollow Soffit

				w	hit	e		C	olo	ur		Wo	bod	grai			
						Ы	B	SAB	SG SG	DG AG	WGM	WGO	WGR	WGI	WGCHG	WGCR	WGATE
	Code	Description	Unit	Units per pack	White	Black	Leather Brown	Pale Gold Sable	Storm Grey	Dark Grey Anthracite Grev	Mahogany	Light Oak Black Ash	Rosewood	Irish Oak	Chartwell Green	Cream	Agate Grey
	Vented Ge	neral Purpose Board - 10mm															
	GPBV100	100mm Vented	5m	4	٠												
The second s	GPBV150	150mm Vented	5m	2	٠						•	• •	٠		•		
and the second se	GPBV175	175mm Vented	5m	2	٠						•	• •	٠		•		
	GPBV200	200mm Vented	5m	2	٠												
	GPBV225	225mm Vented	5m	2	٠						•	• •	٠		•		
	GPBV250	250mm Vented	5m	2	٠												
	GPBV300	300mm Vented	5m	2	٠					•	•	• •	٠		•		
	GPBV350	350mm Vented	5m	2	٠												
	GPBV405	405mm Vented	5m	2	٠						•	• •	٠		•		
	GPBV450	450mm Vented	5m	2	٠												
	GPBV500	500mm Vented	5m	2	•												
	GPBV605	600mm Vented	5m	1	•										•		
	Double Ve	nted General Purpose Board - 10mm															
	GPBDV225	225mm Double Vented	5m	2	•												
	GPBDV300	300mm Double Vented	5m	2	٠					٠							
	GPBDV350	350mm Double Vented	5m	2	•												
	GPBDV450	450mm Double Vented	5m	2	٠												
	GPBDV605	605mm Double Vented	5m	2	•												
	Hollow So	ffit - 10mm															
	F104		6	10													
	F104 F312	100mm Hollow Soffit	5m	10	•						•	•••	•				
a seren seren	F312	300mm Hollow Soffit	5m 5m	4	•												
- ARTER A	F112 F112	300mm Hollow Soffit 300mm Hollow Soffit	5m	4 2	•	•	• •			•••							
	FIIZ	Sourin Hollow Solit	5111	2							•	•••	•	•		•	•
	GPB / GPE	BV / GPBDV / Hollow Soffit - Finishing Tr	ims														
	F105	Wall Trim/ F Sec	5m	10	٠	•	• •		•	•							_
See page 17	F106	Joint Trim/ H Sec	5m	10	٠	٠	• •	• •	•	• •	•	• •	٠	• •	• •	٠	•
for diagrams	F107	Starter Trim/ J Sec	5m	10	٠	٠	•	• •	•	• •	•	• •	٠	• •	• •	٠	•
ior ulayrains	F108	External Corner Trim	5m	5	٠	•	• •	•	•	• •							
	FZ106	Flexible H-trim/Joint Trim	5m	10	•	•											
	0-441-14	lation			_	_		_	_					_		_	
	Soffit Venti																
See page 21		Iollow Soffit Vent	5m	10	•												
		offit Ventilator	5m	10	•	•	• •	• •	٠	• •	•	••	•		•	•	
for diagrams	FCV C	Fircular Soffit Vent	Piece	50	•	•	•			•	•						

• Some colour products are subject to a lead time. Ask your stockist for details Hollow Soffit, F112 or F312, should not be used as an external wall cladding.



### Windowboards, Architraves, Angles and Trims

High quality window boards, trims and accessories including end caps, architraves and angles available in a wide range of designs, sizes, colours and woodgrain finishes to match any window installation.



Unfold our handy colour swatch page at the back of this catalogue

### Windowboards

				w	/hit	е		Co	Ιοι	ır			W	ood	lgra	lin			
						E :	9 8	SAB	SG	00	CAR	WGM	MGO	WGR	NGI	WGAG	WGCB WGCB	WGW	WGATE
	Code	Description	Unit	Units per pack	White	Black	Pale Gold	Sable	Storm Grey	Dark Grey	Antimacite Grey Caramel	Mahogany	Light Oak	Rosewood	Irish Oak	Anthracite Grey	Chartwell Green Cream	White	Agate Grey
	Window	Boards - 10mm																	
	FB150	150mm Bullnose Window Board	5m	2	٠														
	FB175	175mm Bullnose Window Board	5m	2	٠														
	FB200	200mm Bullnose Window Board	5m	2	٠														
	FB225	225mm Bullnose Window Board	5m	2	٠														
	FB250	250mm Bullnose Window Board	5m	2	٠														
	FB455	455mm Bullnose Window Board (Double Ended)	5m	2	٠														
	FBDC	Large End Cap	Piece	50	•														
	FBEC	End Cap for FB Board	Pair (L&R)	50	۰														
		•																	
		ves - 6mm	-																
	FA45	40mm Architrave	5m	20	•					•									
	FA45	40mm Architrave	5m	10								•	• •	•	•	• •	• •	•	•
	FA65	60mm Architrave	5m	10	•					•		•	• •	•	•	• •	• •	•	•
and the second second	FA90	90mm Architrave	5m	10	٠					•		•	• •	•	•	•	• •	•	•
	Window	Trims																	
	Window		5m	25															
	FQ15	15mm Quadrant	5m	25	•							•	• •	•	•	•			
See page 17	FQ15 FQ15	15mm Quadrant 15mm Quadrant	5m	10								•	• •	•	•	• (	• •	•	
See page 17 for diagrams	FQ15	15mm Quadrant		10 25	•							•	• •	•	•	• •	• •	•	•
See page 17 for diagrams	FQ15 FQ15 FQ19 FQ19	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant	5m 5m 5m	10 25 10								•	• •	• •	•	• •	• •	•	•
	FQ15 FQ15 FQ19 FQ19 FR15	15mm Quadrant 15mm Quadrant 19mm Quadrant	5m 5m 5m 5m	10 25 10 25	•							•	• •	• •	•	•	• •	•	•
	FQ15 FQ15 FQ19 FQ19	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square	5m 5m 5m	10 25 10	•							•	• •	• •	•	• •		• •	•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten	5m 5m 5m 5m 5m	10 25 10 25 25	•					•	•		• •	• •	•	• •		• •	•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section	5m 5m 5m 5m 5m 5m	10 25 10 25 25 25	•						•	•	• •	• •	•	• •	• •	•	•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28 FD28	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section	5m 5m 5m 5m 5m 5m 5m	10 25 10 25 25 25 10	•					•	•		• •	• •	•	• •			•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28 FD28 FD28 FF20	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 20mm Fillet	5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 25 10 25	•						•		• •		•	•			•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28 FD28 FF20 FF20	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 20mm Fillet	5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 25 10 25	•					•			• •	· •	•	•		•	•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28 FD28 FF20 FF20	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet	5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 25 10 25	•						•		• •	• •	•	• •			•
	FQ15 FQ19 FQ19 FQ19 FR15 FB28 FD28 FD28 FF20 FF20 FF20 FF20	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet	5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 10 25 10 25 10	•								• •	· •	•				•
	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28 FD28 FF20 FF20 <b>Rigid &amp; I</b> FZ25	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet 25 x 25mm Flexi Angle	5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 10 25 10 25 10	•						,				•				•
for diagrams	FQ15 FQ19 FQ19 FQ19 FR15 FD28 FD28 FD28 FD28 FF20 FF20 FF20 FF20 FF20 FF20 FF20	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet 25 x 25mm Flexi Angle 50 x 50mm Flexi Angle	5m 5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 10 25 10 25 10 25 10	•	•					•				•				•
for diagrams	FQ15 FQ15 FQ19 FQ19 FR15 FD28 FD28 FD28 FF20 FF20 FF20 FZ25 FZ25 FZ50 FZ100	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet 5x 25mm Flexi Angle 50 x 50mm Flexi Angle 100 x 80mm Hollow Angle	5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 10 25 10 25 10 25 10 25 10	• • • • • •	•									•				•
for diagrams	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FD28 FD28 FF20 FF20 FF20 FZ50 FZ50 FZ50 FZ50 FZ50 FZ50 FZ50	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet 20mm Fillet 25 x 25mm Flexi Angle 50 x 50mm Flexi Angle 100 x 80mm Hollow Angle 30 x 30mm Rigid Angle	5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m	10 25 25 25 25 10 25 10 25 10 25 10 225 10 225 10 20	• • • • • •	•						•			•				•
for diagrams	FQ15 FQ15 FQ19 FQ19 FR15 FB28 FB28 FD28 FD28 FF20 FF20 FF20 FZ20 FZ50 FZ50 FZ100 FZ2R30	15mm Quadrant 15mm Quadrant 19mm Quadrant 19mm Quadrant 15mm Square 28mm Batten 28mm D Section 28mm D Section 28mm D Section 20mm Fillet 20mm Fillet 20mm Fillet 50 x 50mm Flexi Angle 50 x 50mm Flexi Angle 100 x 80mm Hollow Angle 30 x 30mm Rigid Angle	5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5m 5	10 25 25 25 10 25 10 25 10 25 10 25 10 10 20 20 10		•									•				•

\* Products available in the following colours to complement Woodgrain Range, Black, Leather Brown and Caramel

# **Roofline and Window Board Accessories**

#### Square Leg Fascia Accessories (FW, FMS, FMXS) - from page 7

































Magnum Fascia Accessories (FMD, FMR, FMXD) - from page 9


















Find out more online at www.freefoam.com

#### Square Edge Fascia Accessories (FLP, FML) - from page 10










FLDC		

#### Soffit Accessories (GPB, GPBV, GPBDV) - from page 13



F106







#### Window Trims - from page 15














#### Rigid & Flexi Angles - from page 15




FZR50













# **Decorative Roofline**

A choice of products to add a decorative finish to a project.

### Decorative Fascia Boards and Mouldings

Create a stylish appearance with a range the includes scalloped fascia boards, decorative mouldings and finials.

#### **Gallows Brackets**

A range of plain and decorative Gallows Brackets for use under canopies, bay and oriel windows.



Find out more online at www.freefoam.com

			w	hite	•		Co	lou	r		۷	Voo	dgr			
				i	2	9 2	SAB	S G	AG	WGM	WGO	WGB	NGI NGI	WGAG	WGCHG	WGCR
Code	Description	Unit	Units per pack	White	Black	Pale Gold	Sable	Storm Grey	Dark Grey Anthracite Grey	Mahogany	Light Oak	Black Ash	Hosewood Irish Oak	Anthracite Grey	Ē	Cream
Decorati	ve Roofline Accessories & Boards															
FM01	Ogee Décor Mould	Piece	1	•	• •	•										
FM02	Plain Mould (Open)	Piece	1	•												
FM03	Plain Mould (Closed)	Piece	1	•												
FM04	Scalloped Fascia Convex 18mm thick	5m	2	•												
FM05	Scalloped Fascia Concave 18mm thick	5m	1	•												



Spires / I	Finials					
FIN_1	Finial	Piece	10	٠		
FIN_1	Finial	Piece	1		• • • • • • •	• • • • •
FIN_2	900mm x 65mm x 33mm	Piece	1	٠		
FIN_3	1300mm x 65mm x 33mm	Piece	1	٠		



Plain and	d Decorative Gallows				
FGBS1	Plain bracket 375mm x 300mm x 60mm	Piece	2	٠	
FGBS2	Plain bracket 565mm x 400mm x 60mm	Piece	2	٠	
FGBS3	Plain bracket 750mm x 600mm x 60mm	Piece	2	٠	
FGBD1	Decorative bracket 375mm x 300mm x 60mm	Piece	2	٠	
FGBD2	Decorative bracket 565mm x 450mm x 60mm	Piece	2	٠	
FGBD3	Decorative bracket 750mm x 600mm x 60mm	Piece	2	٠	

• Some colour products are subject to a lead time. Ask your stockist for details



### **Plastops**

Freefoam's own range of colour matched plastic-headed pins produced from A4 marine grade stainless steel to eliminate the risk of rust and discolouration. Available in a variety of sizes and colours to match our fascia, soffit and cladding systems.

			v	Vhit	е	C	Col	ou	r			١	Woo	odg	jrai	n			
					BL	LB	ЪG	SAB	5 C	AG	WGM	WGO	WGB	WGR	NGI	WGAG	WGCHG	WGCR	
Code	Description	Unit	Units per pack	White	Black	Leather Brown	Pale Gold	Sable	Storm Grey Dark Grev	Anthracite Grey	Mahogany	Light Oak	Black Ash	Rosewood	Irish Oak	Anthracite Grey	Chartwell Green	Cream Agate Grev	1R.
PlasTops																			
P30	30mm Pins	30mm	200	٠	٠	•	•	• •	• •	•	٠	٠			٠		•	•	
P40	40mm Pins	40mm	200	٠	٠	•	•	•		•	٠	٠			٠		٠	• •	
N40	40mm Nails	40mm	100	٠															
N50	50mm Nails	50mm	100	٠	٠	•	•	•	• •	•	٠	٠			•		•	• •	
N65	65mm Nails	65mm	100	٠	٠	•	•	•	• •	•	٠	٠			•		•	• •	
ACSS250	Cladding Screws	30mm	250																
CP30	Cladding Pins	30mm	250	٠															

Please order Woodgrain Mahogany Pins & Nails to match Woodgrain Rosewood products Please order Anthracite Grey Pins & Nails to match Woodgrain Anthracite Grey products Please order Black Pins & Nails to match Woodgrain Black Ash

# Fixings, Ventilation and Eaves Protection


				W	hit	е		Co	lou			W	ood			
						BL.	PG PG	SAB	SG	AG	WGM	WGO	WGR	NGI	WGAG	WGCHG
	Code	Desaription	Unit	Units per pack	White	Black	Leather Brown Pale Gold	Sable	Storm Grey	Anthracite Grey	Mahogany	Light Oak	Rosewood		Anthracite Grey	Cream Cream
	Roofline	& Ventilation Accessories														
	F104V	Hollow Soffit Vent	5m	10	٠											
	F109	Soffit Ventilator	5m	10	٠	•	• •	٠	• •	•	•	•				•
	F109M	Mesh 30m long x 48mm wide	Piece	1		•										
See below	FCV	Circular Soffit Vent	Piece	50	•	•	•			•	•					
for diagrams	FVENT10	10mm Over Fascia Vent*	1m	50		•										
for alagrams	FVENT25	25mm Over Fascia Vent*	1m	50		•										
	FPEP1	Eaves Protector*	1m	10		•										
	FPBC1	Bird Comb*	1m	50		•										

#### **Roofline & Ventilation Accessories**





CP30



ACSS250









### Cladding

A range of exterior cladding products to provide not only a decorative but also a protective facing to any new build or renovation project.

- Standard Open V and Shiplap styles in white and woodgrain finishes.
- Fortex® embossed cladding in Double Shiplap and Weatherboard styles.
- X-Wood 16mm woodgrain heavy duty cladding.

#### **Durable**

- Standard white cladding products are eligible for a standard 20 year guarantee that can be extended to an impressive 50 year guarantee when registered online.
- Woodgrain, Fortex embossed and X-Wood cladding comes with a 10 year guarantee.

#### Light and easy to install

PVC-U cladding panels are designed to make storing, handling and fitting quick and easy. With the weatherboard cladding weighing just 3.15kg per 5 metre board it is 4 times lighter than comparable fibre cement board.

#### A+ rated

PVC cladding offers a sustainable solution. Fortex comes with significant environmental credentials with the Building Research Establishment's (BRE) 'Green Guide To Specification, giving PVC cladding an A+ rating when installed with standard components.

# **Standard Cladding**

	Log		ir pack	um Grey		GY	IN WGM	ak WGO		od WGR	ite Grey WGAG
Code	Description	Unit	Units per	Aluminium	White	Grey	Mahogany	Light Oak	Black Ash	Rosewood	Anthracite Grey
Shiplap Cl	adding										
FC151	151mm Shinlan	5m	5								

Piece

10

٠



FC210

Butt Joint

FV100         100mm Open V         5m         5         F           FV100         100mm Open V         5m         4         F         F	Open V Cla	adding									
FV100 100mm Open V 5m 4 • • • •	FV100	100mm Open V	5m	5	٠						
	FV100	100mm Open V	5m	4		•	٠	•	•	•	٠
FV209 Butt Joint Piece 10 • • • • •	FV209	Butt Joint	Piece	10	٠	•	•	•		•	•

	Cladding 1	Trims and Accessories										
	FC3013*	2 Part Edge Trim	3m	5		٠		٠	٠	٠	•	٠
	FC3023*	Universal Edge Trim	3m	5		٠		٠	٠	٠	•	٠
	FC3043*	2 Part External Corner Trim	3m	5		٠		٠	٠	٠	•	•
	FC3153*	2 part H trim	3m	5		٠		٠	٠	٠	•	٠
	FC3123*	25mm Multi Vent Starter Trim	3m	5		٠	٠					
See page 25	FC311E3	25mm 2 Part Multi Vent Starter/Cover Trim	3m	1		٠						
for diagrams	FC3113	25mm 2 Part Multi Vent Starter/Cover Trim						٠	٠	٠	•	•
	FC206*	Drip Trim	5m	5		٠						
	FCA3063*	Drip Trim Aluminium	3m	6	٠							
	FCF2123*	Starter Trim	3m	5		٠						
	FC318E3	'H' Edge/ Extension Trim	3m	1		٠						
	FC319E3	2 Part Reveal Liner	3m	1		٠						
	ACSS250	Cladding Screws	30mm	250								

\* Can be bought in single pack quantities



Find out more online at **www.freefoam.com** 

# **Embossed Cladding**

# FOITEX

#### White Colour

						GY	PG	SAND	РВ	CAP	AB	MG	SG	SLG	CLB	SAGN
Code	Description	Unit	Units per pack	White	Aluminium Grey	Grey	Pale Gold	Sand	Pale Blue	Cappuccino	Argyl Brown	Misty Grey	Storm Grey	Slate Grey	Colonial Blue	Sage Green
300mm [	Oouble Plank Shiplap Embossed															
FCD300E	300mm Double Plank	5m	2	٠			٠	٠								
FCD209E	Butt Joint	Piece	10	٠			٠	٠								



333mm 🛙	Double Plank Shiplap Embossed												
FCD333E	333mm Double Shiplap Cladding	5m	2	٠	•	٠	•	•	٠	٠	٠	•	٠
FCD210E	Butt Joint	Piece	10	٠	•	٠	•	•	٠	٠	•	•	•

			- 2
_			-
-			
Concerne and			
and the second s			
and a second			
-			
-			
and the second sec			
1000			

170mm F	Feather Edge Weatherboard Embosse	d											
FCF170E	170mm Embossed	5m	6	٠	٠	٠	•	٠	٠	•	•	•	٠
FCF209E	Butt Joint	Piece	10	٠	٠	٠	•	٠	•	•	•	•	•

					White	Aluminium Grey	GY PG	SAND	PB	CAP AB	MG	SG	SLG	CLB SAGN	1010
	Cladding 1	Frims and Accessories													
	FC301E3*	2 Part Edge Trim	3m	5	•		٠	٠	٠	• •	•	٠	•	• •	,
	FC302E3*	Universal Edge Trim	3m	5	٠		•	٠	٠	• •	•	٠	•	• •	)
	FC304E3*	2 Part External Corner Trim	3m	5	٠		•	٠	٠	• •	•	٠	•	• •	,
	FC307E3*	Internal Corner Trim	3m	5	٠		•	٠	٠	• •	•	٠	•	• •	)
	FC317E3*	2 Part 135° External Corner Trim	3m	1	٠		•	٠	٠	• •	•	٠	•	• •	•
See page 25	FC315E3*	2 Part 'H' Trim	3m	5	٠		•	٠	٠	• •	•	٠	•	• •	,
for diagrams	FCF2123*	Starter Trim	3m	5	٠										
ior ulagrafits	FCA3063*	Drip Trim Aluminium	3m	6		•									
	FC319E3	2 Part Reveal Liner	3m	1	٠		•	٠	٠	• •	•	٠	•	• •	,
	FC318E3	'H' Edge/Extension Trim	3m	1	٠		•	٠		• •	•	٠	•	• •	,
	FC3123*	25mm Multi Vent Starter Trim	3m	5	٠		•								
	FC311E3	25mm 2 Part Multi Vent Starter/Cover Trim	3m	1	٠		•	٠	٠	• •	٠	٠	•	• •	)
	ACSS250	Cladding Screws	30mm	250											

\* Can be bought in single pack quantities

#### Cladding Trims for Standard Range - from page 23



#### Cladding Trims for Embossed Range - from page 24


























FC315E3





FC3123

### Become a Freefoam installer

See page 44 for more details

## X-Wood Cladding\*\*







X-Wood	Cladding Trims								
FCA3013*	2 Part 'U' Trim	3m	5	٠	٠	•	• •	•	
FCA3023*	'J' Trim	3m	5	٠	٠	•	• •	٠	
FCA3043*	2 Part External Corner Trim	3m	5	٠	٠	•	• •	•	
FCA3153*	2 Part 'H' Trim	3m	5	٠	٠	•	• •	٠	
FCA3163	Cover Trim for Vented Starter Trim	3m	1	٠	٠	•	• •	•	
FC3123	25mm Multi Vent Starter Trim	3m	1						•
FCA3123*	Aluminium Starter Trim	3m	5						•
FCA3063*	Drip Trim Aluminium	3m	6						•
ACSS250	Cladding Screws	30mm	250						

\* Can be bought in single pack quantities

#### **Cladding Trims for X-Wood Range**





FCA3123








FCA3063







FC3123

### See our full colour range

Handy colour swatch page at the back of this catalogue

### New! Cladding Calculator & Visualiser

## **CLADDING CALCULATOR**

Take away the guesswork with our new Cladding Calculators.

A clever online tool to give a full list of all the materials needed for a cladding project

- Cladding boards
- Fitting trims
- Battens
- Fixings

Get an email with everything you need to place your order.

### **CLADDING VISUALISER**

See how Freefoam cladding looks on your customer's home.

- Upload a photo of the home.
- Choose any colour or style of cladding.
- See exactly how it will look.
- Get a copy of the new look house.

# Go to www.freefoam.com and follow the links

### TELL YOUR CUSTOMERS ABOUT OUR NEW CLADDING TOOLS






### **Rainwater Systems**

Freefoam offer the Freeflow® range of innovative, high quality PVC-U rainwater systems.

Each rainwater system is co-extruded with a white interior and a range of exterior colours - Freefoam's innovative solution to the problems associated with rapid heat absorption and expansion of gutters.

#### **Systems**

Square, Round, Deep, Ogee and Cast Iron effect






Find out more online at **www.freefoam.com** 

#### Colours

# **Rainwater Systems**



### **Co-extruded Gutters**

Each rainwater system is co-extruded with a white interior and a range of exterior colours - Freefoam's innovative solution to the problems associated with rapid heat absorbtion and expansion of gutters.





# Square and Round Rainwater Systems

						BL	LB	AG AG	Č L
	Code	Description	Unit	Box/Pack Quantities	White	Black	Leather Brown	Anthracite Grey Cast Iron	Cd31 11011
	Freeflow S	quare Gutter & Fittings							
	FSG400	4 Mtr Square Gutter	4m	6	٠	٠	٠	٠	
	FSG500	5 Mtr Square Gutter	5m	6	٠	٠	٠	•	
The second second	FRS601	150° Gutter Angle		24/1	٠	٠	٠		
	FRS602	Union Bracket		24/6	٠	٠	٠	•	
	FRS603	90° Gutter Angle		20/1	٠	٠	٠	•	
	FRS604	135° Gutter Angle		26/1	٠	٠	٠	•	
la la	FRS605	Running Outlet		16/1	٠	٠	•	•	
	FRS606	Stopend Outlet		30/1	٠	٠	٠	•	
	FRS607	Stopend External		135/15	٠	٠	٠	•	
	FRS608	Stopend Internel		200/10	٠	٠	٠	•	
	FRS609	Fascia Bracket		150/25	٠	٠	٠	•	
	FRS611	Square to Round Gutter Adaptor		55/11	٠	٠	•		

## Square and Round Rainwater Systems

						Ы	В	AG	CBL
	Code	Description	Unit	Box/Pack Quantities	White	Black	Leather Brown	Anthracite Grey	Cast Iron
	Freeflow	Square Downpipe & Fittings							
	FSP275	2.75 Mtr Square Downpipe	2.75m	6	٠	٠	٠	٠	
	FSP400	4 Mtr Square Downpipe	4m	6	٠	٠	٠	٠	
	FSP550	5.5 Mtr Square Downpipe	5.5m	4	٠	٠	٠	•	
	FRS524	90° Offset Bend		40/10	٠	٠	٠	•	
	FRS525	Pipe Socket		100/10	٠	٠	٠	•	
	FRS526	Pipe Clip		200/10	٠	٠	٠	٠	
	FRS536	Flush Pipe Clip		240/30	٠	٠	٠	•	
	FRS527	112° Offset Bend		30/5	٠	٠	٠	٠	
	FRS528	Shoe		56/14	٠	٠	٠	•	
	FRS529	112° Branch		20/10	٠	٠	٠	٠	
	FRS531	Square to Round Pipe Adaptor		100/10	•	٠	٠	•	
	FRS532	Mini Offset		20/1	٠	٠	٠	٠	
	FRS533	Access Pipe		20/4	•	٠	•		
	Freeflow I	Round Gutter & Fittings							
	FRG400	4 Mtr Gutter	4m	6	٠	٠	٠	٠	
	FRG500	5 Mtr Gutter	5m	6	٠	٠	٠		
The second	FRR601	150° Gutter Angle		31/1	٠	٠	٠		
	FRR602	Union Bracket		30/6	٠	٠	٠	٠	
	FRR603	90° Gutter Angle		22/1	٠	٠	٠	•	
	FRR604	135° Gutter Angle		30/1	٠	٠	٠	•	
	FRR605	Running Outlet		18/1	•	•	•	•	
	FRR606	Stopend Outlet		30/1	٠	٠	٠	•	
	FRR607	External Stopend		120/15	•	٠	٠	•	
	FRR608	Internal Stopend		270/30	•	٠	•	•	
	FRR609	Fascia Bracket		180/30	•	•	•	•	
	FRS611	Square to Round Gutter Adaptor		55/11	•				
	1110011		1	00,11					
	_	Round Downpipe & Fittings							
	FRP275	2.75 Mtr Round Downpipe	2.75m	6	٠	٠	٠	•	
	FRP400	4 Mtr Round Downpipe	4m	6	٠	٠	٠	٠	
	FRP550	5.5 Mtr Round Downpipe	5.5m	4	٠	٠	٠	٠	
	FRR524	90° Offset Bend		40/10	٠	٠	٠	٠	
	FRR525	Pipe Socket		100/10	٠	٠	٠	•	
	FRR526	Pipe Clip		180/30	٠	٠	٠	•	
	FRR536	Flush Pipe Clip		200/10	٠	٠	٠	•	
	FRR527	112° Offset Bend		48/9	٠	٠	٠	٠	

• Some colour products are subject to a lead time. Ask your stockist for details

FRR528

FRR529

FRR530

FRR532

FRR533

Shoe

112° Branch

Mini Offset

Access Pipe

Hopper (FITS SQ OR RD)

40/10

20/10

10/1

20/1

20/1

•

•

# Ogee and Deep Rainwater Systems

	Code	Description	Unit	Box/Pack Quantities	White	Black BL	Leather Brown LB	Anthracite Grey AG
	Freeflow (	Dgee Gutter & Fittings						
371	FOG400	4 Mtr Ogee Gutter	4m	4	٠	٠	٠	•
	FRO601	150° Gutter Angle		10/1	٠	٠	٠	
1	FRO602	Union Bracket		22/1	٠	٠	٠	•
	FRO603	90° Gutter Angle		10/1	٠	٠	٠	•
	FRO604	135° Gutter Angle		12/1	٠	٠	٠	•
	FRO605	Running Outlet		24/1	٠	٠	٠	•
	FRO606	Stopend Outlet		20/1	٠	٠	•	•
	FRO607	External Stopend		100/10	•	•	•	•
	FRO608	Internal Stopend		100/10	٠	٠	٠	•
	FRO609	Fascia Bracket		150/20	٠	٠	•	•
	FRO611	Ogee 2 Sq Adaptor		1/1	٠	٠	٠	
	FRR611	Ogee 2 Rnd Adaptor		1/1	٠	٠	٠	
	FRO613	Top Hung Fascia Bracket		150/25	٠	٠	٠	
	Freeflow I	Deep Gutter & Fittings						
2251	FDG400	Round Gutter	4m	4	•	•	٠	•
	FDF602	Union Bracket		26(2x10,1x6)	•	٠	٠	•
2	FDF603	90° Gutter Angle		15/1	•	•	•	•
	FDF604	135° Gutter Angle		24/1	٠	•	٠	•
	FDF605	Running Outlet		14/1	•	•	•	•
	FDF607	External Stopend		96/12	٠	٠	٠	•
	FDF608	Internal Stopend		300/30	•	•	•	•
	FDF609	Fascia Bracket		150/25	٠	•	٠	•
	FDF611	Deep to Round Adaptor		1/1	٠	•		
	Steel Gutte	er Brackets*				_	_	
	FRR614	Galvanized Steel Adjustable Side Rafter Bracket		1				
T.	FRR615	Galvanized Steel Rise and Fall Bracket		1				
	FRR616	Galvanized Steel Drive for rise and Fall Bracket		1				

\* Only suitable for round gutter system, see page 31



Find out more online at **www.freefoam.com** 

# Cast Rainwater Systems

					CB
	Code	Description	Unit	Box/Pack Quantities	Cast Iron
	Freeflow F	Round Gutter & Fittings - Cast Iron			
	FRG400CBL	4 metre Round Gutter	4m	1	•
	FRR602CBL	Union Bracket		1	•
	FRR603CBL	90° Gutter Angle		1	•
	FRR604CBL	135° Gutter Angle		1	•
	FRR605CBL	Running Outlet		1	•
	FRR606CBL	Stopend Outlet		1	•
	FRR607CBL	External Stopend		1	•
	FRR609CBL	Fascia Bracket		1	•
	Freeflow D	Deep Gutter & Fittings - Cast Iron			
•	FDG400CBL	Deep Gutter	4m	1	•
	FDF602CBL	Union Bracket		1	•
	FDF603CBL	90° Gutter Angle		1	•
	FDF604CBL	135° Gutter Angle		1	•
	FDF605CBL	Running Outlet		1	•
	FDF607CBL	External Stopend		1	•
	FDF609CBL	Fascia Bracket		1	•
	Freeflow F	Round Downpipe & Fittings - Cast Iron			
	FRP275CBL	Round Downpipe	2.75m	1	•
	FRP550CBL	Round Downpipe	5.5m	1	•
	FRR524CBL	90° Offset Bend		1	•
	FRR526CBL	Pipe Clip		1	•
	FRR527CBL	112° Offset Bend		1	•
	FRR528CBL	Shoe		1	•
	FRR529CBL	112° Branch		1	•
	FRR530CBL	Hopper (FITS SQ OR RD)		1	•
	FRR532CBL	Mini Offset		1	•
	FRR534CBL	Round Magnum Style Pipe Clip		1	•
	FRR535CBL	Pipe Clip Collar		1	•



# **PVC Internal Panelling**

Geopanel<sup>®</sup> is a range of PVC interior decorative wall and ceiling panelling which provides a 100% waterproof stylish, modern and convenient panelling system for bathrooms and kitchens. Providing a cost-effective and practical alternative to tiling. Wall panels available in three different widths - 250mm, 600mm and 1m. Ceiling panels available in 200mm.

#### Easy to fit

- Panels fit together with a waterproof tongue-and-groove joint
- No drying time and grouting
- Fix over existing surfaces, including tiles
- No specialist training required
- Range of PVC and Aluminium trims



# PVC Geo-Panel<sup>®</sup> Wall and Ceiling panels

				Ceiling Panels		hite	Marl	ble	Diamon Stone	d V	lood	Small Tile	Large Tile	Slate	Retro Matt	Concrete	Ønyx
				TSWHC/ TSWHC4 WHCSI	WHC/WHC4	BMC PMC	LGMC	WMC BEMC		WHA/ASC	WHWC	STMBE STMLG	LTMLG	SLGMC	RPMSI/SMC	CGMC CBMC	GOMC
Code	Description	Unit	Units per pack	White / Silver Strip White / Silver Edge	White Gloss	Black Marble Pergamon Marble	Light Grey Marble	White Marble Beige Marble	White Diamond Stone Black Diamond Stone	Arctic Sparkle	White Wood Gloss	Beige Small Tile Light Grey Small Tile	Light Grey Large Tile	Light Grey Slate	Silver Retro/Metallic	Grey Concrete – Matt Beige Concrete – Matt	Grey Onyx – Matt
Standard I	Range Wall Panels - 2.7m / 4m x 250m	m x 5ı	mm						1						1		
GE8	Geopanel 250mm wide PVC Panel	2.7m	4	••	•	••	• •	•	•	•	•						
GE8	Geopanel 250mm wide PVC Panel	4m	4	•	•												
Standard -	Ceiling Panels 200mm x 6mm																
GE8TSWHC	PVC Panel	2.7m	5	•													
GE8TSWHC4	PVC Panel	4m	5	•													
Mid Range	e Wall Panels - All 2.4m x 600mm x 7m	m															
GE9	Geopanel 7mm x 600mm	2.4m	2		•		•			•				•	•	••	•
Mid Bongo	wall Panels - All 2.6m x 600mm x 7m	m															
GE9	Geopanel 7mm x 600mm	2.6m	2									•	•				
Wide Rand	ge Wall Panels - All 2.4m x 1m x 10mm	1 _	_	_	_	_		_		_		_			_	_	
GE7	Geopanel 1000mm PVC Wide Panel	2.4m	1		•	••	• •	•	•••	•	•	•			•	••	

Note: Some colours are subject to lead time - see below.


Mid Range	Standard Range
White Gloss (GE9WHC)	White Silver Edge (GE8WHCSI)
Grey Concrete Matt (GE9CGMC)	
Beige Concrete Matt (GE9CBMC)	
Grey Onyx Matt (GE9GOMC)	



### See our Geo-panel<sup>®</sup> colour range

Find them on pages 36 & 37

# **Geo-panel® Internal Panelling Finishes**




#### Note:


Colours/designs shown in this brochure are for availability identification only. Please see in store display or samples for exact colour/design representations.




#### **Concrete Range**

Grey Concrete - Matt (CGMC)







#### Retro Range Silver Retro/Metallic (RPMSI/SMC)



Slate Range Light Grey Slate (SLGMC)



Onyx Range Grey Onyx - Matt (GOMC)

> White Wood White Wood Gloss (WHWC)





# Geo-panel<sup>®</sup> Trims and Accessories

					00101	113			
Code	Description	Unit	Units per pack	White	Silver	Black	Aluminium White	Aluminum Bright Silver	Aluminium Satin
Standard PV	C Ceiling & Wall Trims - 5mm/6mm								
GET8UTWH	End U White	2.7m	10	٠					
GET8ECWH	External Corner	2.7m	4	•					
GET8ICWH	Internal Corner	2.7m	4	•					
GET8HTWH	H-Join	2.7m	10	•					
GET8SMWH	Scotia Moulding	2.7m	4	•					
GET8UTSI	End U Silver	2.7m	10		٠				
GET8ICSI	Internal Corner	2.7m	4		٠				
GET8ECSI	Exeternal Corner	2.7m	4		٠				
GET8HTSI	H-Join	2.7m	10		•				
GET8SMSI	Scotia Moulding	2.7m	4		٠				
GET8UTBL	End U Black	2.7m	10			٠			
GET8ECBL	External Corner	2.7m	4			٠			
GET8ICBL	Internal Corner	2.7m	4			٠			
GET8HTBL	H-Join	2.7m	10			٠			

Trim Colours

### **Geo-panel® Trims and Accessories**

#### Trim Colours

				Trim	Colo	urs		
Code	Description	Unit	Units per pack	White	Silver	Aluminium White	Aluminium Bright Silver	Aluminium Satin
Mid Range -	Aluminium Mid Panel Trims - 7mm							
GET9AECWH	Geopanel Aluminium 7.6mm External Corner White	2.4m	10			•		
GET9AICWH	Geopanel Aluminium 7.6mm Internal Corner White	2.4m	10			•		
GET9AUTWH	Geopanel Aluminium 7.6mm End U White	2.4m	10			•		
GET9BSWH	Geopanel Aluminium 7.6mm Base Seal Trim White	2.4m	10			•		
GET9AHTWH	Geopanel Aluminium 7.6mm H-Join White	2.4m	10			٠		
GET9AICSI	Geopanel Aluminium 7.6mm Internal Corner Bright Silver-Chrome	2.4m	10				•	
GET9AECSI	Geopanel Aluminium 7.6mm External Corner Bright Silver-Chrome	2.4m	10				•	
GET9AUTSI	Geopanel Aluminium 7.6mm End U Bright Silver-Chrome	2.4m	10				•	
GET9AHTSI	Geopanel Aluminium 7.6mm H-Join Bright Silver-Chrome	2.4m	10				٠	
GET9BSSI	Geopanel Aluminium 7.6mm Base Seal Trim Bright Silver-Chrome	2.4m	10				•	
			1	1.1				
Wide Panel	Trims - 10mm						l i	
GET7UTWH	Geopanel PVC 10.5mm End U White	2.4m	10	•				
GET7ECWH	Geopanel PVC 10.5mm External Corner White	2.4m	4					
GET7ICWH	Geopanel PVC 10.5mm Internal Corner White	2.4m	4	•				
GET7HTWH	Geopanel PVC 10.5mm H-Join White	2.4m	10	•				
GET7BSWH	Geopanel PVC 10.5mm Base Seal White	2.4m	1	•				
GET7UTSI	Geopanel PVC 10.5mm End U Silver	2.4m	10		•			
GET7ECSI	Geopanel PVC 10.5mm External Corner Silver	2.4m	4		•			
GET7ICSI	Geopanel PVC 10.5mm Internal Corner Silver	2.4m	4		٠			
GET7HTSI	Geopanel PVC 10.5mm H-Join Silver	2.4m	10		•			
GET7BSSI	Geopanel PVC 10.5mm Base Seal Silver	2.4m	1		•			
GET7AUTWH	Aluminium End U White	2.4m	1			•		
GET7AICWH	Aluminium Internal Corner White	2.4m	1			•		
GET7AECWH	Aluminium External Corner White	2.4m	1			•		
GET7AHTWH	Aluminium H-Join White	2.4m	1			•		
GET7AUTSI	Aluminium End U Bright Silver-Chrome	2.4m	1				٠	
GET7AICSI	Aluminium Internal Corner Bright Silver-Chrome	2.4m	1				•	
GET7AECSI	Aluminium External Corner Bright Silver-Chrome	2.4m	1				•	
GET7AHTSI	Aluminium H-Join Bright Silver-Chrome	2.4m	1				•	
GET7AUTSA	Aluminium End U Satin	2.4m	1					٠
GET7AICSA	Aluminium Internal Corner Satin	2.4m	1					٠
GET7AECSA	Aluminium External Corner Satin	2.4m	1					٠
GET7AHTSA	Aluminium H-Join Satin	2.4m						٠
				<u> </u>				
Geopanel A	ccessories (Suitable For All Ranges)							

GET7DCSI Geopanel PVC Decor Clip In - Silver 2.4					
	=niii	1			
GEOCLNSPRAY Cleaner for Geopanel Range		12 per pack			

Become a Freefoam installer

See page 44 for more details

### **Freefoam Stockists**

Freefoam products are available from a network of independent stockists at over 1000 locations throughout the UK.

Specialist suppliers of PVC building products or larger general builders merchants who will be happy to advise on products, colour ranges and installation of Freefoam products.

To find your local stockist visit www.freefoam.com/stockists/finder

and enter your postcode. You will be able to see the three closest to you.

# **Scheduling Service**

Freefoam offers an unbeatable scheduling service for all of our professional customers.

Our specialist team can provide accurate product specification and quantities for all elements of our building product range. This includes all fascia, soffit, guttering and exterior cladding materials.

Send your plans to ukscheduling@freefoam.com

To find out more call 01604 683862



### **Become a Freefoam Registered Installer TODAY!**

There's never been a better time to get your business aligned to one of the major roofline brands.

#### FREE TO JOIN FREEFOAM!

# MY Freefoom

#### Reasons to become a freefoam registered installer

- Offer your customers a market leading product guarantee straight from the manufacturer\*
- Stand out from the crowd. Only Freefoam Registered Installers can offer the Extended 50 year Guarantee
- Marketing and Sales support to build your business.

# Free leads! Generated from our consumer websites, myfascia.co.uk and mycladding.com

#### APPLY TODAY ONLINE AT www.myfreefoam.com





### Leads from consumer sites

Freefoam has been manufacturing fascia products for over 30 years.

During that time we've built up lots of knowledge and experience. We wanted to share this information with homeowners and demystify the process of getting fascia and cladding replaced – so we developed My Fascia and My Cladding.

Our aim is to

- help homeowners understand what roofline and cladding is all about and why it's important to keep it maintained.
- familiarise homeowners with the different roofline and cladding products so they can make an informed decision about roofline replacement.
- put homeowners in touch with a reliable Registered Freefoam installer.

As a Freefoam Registered Installer you will qualify to receive free leads from our consumer sites.





### **Installation Guide**

#### Preparation

Plan all roofline installation procedures, system components and installation sequence before onsite fitting begins.

Ensure all work is carried out in accordance with good construction practice and complies with relevant Building Regulations.

#### Access

Never attempt to access the work area with an unsupported ladder or without a stable deck.

Always use a full scaffold platform or a purpose built cantilevered deck system with guard rails.

#### Storage and Handling

Load and unload by hand and support both ends of a 5m length when handling. Stack no higher than 1m, in pack sleeve on a flat base. Avoid contact with solvents, paint, creosote, bitumen etc. Coloured products should not be stored in direct sunlight, as heat distortion may occur.

#### Cutting

Use conventional carpentry tools. Run power tools at speeds appropriate for timber. Nail and screw holes do not require pre-drilling.

#### Asbestos

By law all asbestos materials must be removed by trained operatives under strictly controlled conditions. If you suspect asbestos is present consult your Local Authority before proceeding.

#### **Working Temperatures**

Avoid installation in temperatures greater than 30°c or less than 0°C.

### **Fixing Guidelines**

Fixing		Board		Max Centres			
N50	(	Capping Over: FW, FO & FLP					
N65	Full	Replacement: FMS, FMXS FMD, FMR, FMF, FMXD	White 600mm Black 300mm Woodgrain and other colours 400mm				
P40		Soffit					
P30		Soffit		other colours 400mm			
CP30		Hollow Soffit					
Spacing of Fixings: Horizontal Spacing of Fixings: Vertical							
White Fascia	600mm	Fascia Up to 250mm wide	2 fixings at	required horizontal centres			
Coloured Fascia	400mm	Fascia Wider than 250mm	3 fixings at required horizontal cent				
Black Fascia	300mm	Distance between fixings when there are 2	not less than half width of board				
		Distance between fixings when there are 3	not less t	hat quarter width of board			

#### New Build/Full Replacement

Freefoam manufacture a range of Magnum boards for use in full replacement or new build work which require no backing board. The boards are self-supporting and should be fixed with Plastops colour co- ordinated nails.

Freefoam Rainwater system can be fitted directly to Magnum boards without the need for timber support.

If fascia used is less than 15mm then 18mm WBP plywood backing boards should be used.

#### Please note:

Distance from edge of board = not less than thickness of board, or 15mm, whichever is greater\*

\*pre-drill fascia in low temperatures & predrill accessories in all temperatures

### **Capping Over**

Freefoam manufacture 9mm and 10mm Plain, Ogee and Square Edge Fascia designed for capping over existing fascia and bargeboard that are in sound condition, or for use with a backing board in refurbishment work.


Available in a wide choice of colours with complete range of matching trims and accessories for a neat finish.

FO Ogee Fascia (10mm) FW Plain Fascia (10mm



Standard over fascia installation

### **Roofline Installation**



#### Ventilation

Freefoam supply a range of roofline ventilation products. Ask your stockist for details. Adequate ventilation of the roof space through eaves, in terms of minimum statutory air path dimensions for various roof configurations in new build constructions, is a specified requirement.

Set out in British Building Regulations 2010: Approved Document F (England & Wales), as well as in its Scottish, Irish and Northern Ireland equivalents.

#### Order of work



Cut back and replace damaged or worn felt, eaves can be made watertight using an eaves protector.

Use string lines to ensure rafter feet are aligned, If necessary use packing to align rafter feet.



Install soffit bearers using timber battens spanned from rafter feet to the wall. B Ensure that they are aligned and level.

#### Installation of Soffit

If using a F107 'J' Trim fix this at each soffit bearer before soffit is fixed.



Fix soffit boards to bearers using appropriate fixing pins (as shown on page 43). Soffit should extend 5mm beyond rafter if magnum fascia is used.

If fixing hollow soffit with joints perpendicular to fascia boards then supporting bearers will need to occur at each joint.



If necessary boards can be joined at the ends using a F106 H/Joiner. Allow for 6mm extension gap at each end (12mm gap if joining two boards).

#### Installation of Fascia



When determining fascia size ensure height is sufficient to provide tile kick. Allow for over fascia vents if being used.

Fix Magnum Fascia Board with two N65 Plastops at each rafter end and non Magnum boards (less than 15mm) using two N50 Plastops at each rafter end.




Join lengths of fascia between rafter positions using appropriate matching joiners ensuring 6mm expansion gap is provided at the end of each board.




Use matching corner for internal and external corners. Allow for 6mm extension gap at each end (12mm gap if joining two boards).








### **Box End**



- Finish Fascia level with the face of the rafter gable. Soffit should over hang by 10mm and may be cut square or mitred.
- 2 Measure and cut fascia to form the return to gable wall using appropriate Double Ended Fascia Board, measure and cut box end to suit.
- 3 Measure and cut fascia to form the return to gable wall.
- 4 Remove section from corner joint to fit around rafter.
- 5 Fix fascia as bargeboard directly to gable rafter.

Note: Timber hangers should be installed as required to locate box end structure.

### Window Boards and Trims



#### Preparation

Ensure substrate is clean and dry and is suitably sound to retain the window boards. If rotting or loose timber is present this should be replaced.

#### Installation

Ensure substrate is level and at the required height to meet the window at the required location. If necessary use packing to level the substrate or to raise the level.

Cut window (A) board to required depth and length. Note: allow extra length if horns\* are required and trim board accordingly.

Fix board to substrate using a suitable general-purpose adhesive.


Junction between the board edges and window/reveals should be sealed with low modulus silicone.

If mechanical fixing is necessary use stainless steel screws or nails with plastic heads.

Fix trim (B) at junction between the cill and the window using low modulus silicone.

Cut endcaps () to length and fix using a suitable general-purpose adhesive.

### **Cladding Installation**



Fitting instructions are suitable for all cladding ranges. Please see pages 22-26 for details of cladding products.

All Freefoam cladding profiles can be fitted horizontally or vertically.

When installing Cladding boards vertically, additional cross battens fitted vertically must be installed to allow for ventilation.

It is essential that continuous ventilation is maintained between the vertical battens from the top to the bottom and adequate expansion is allowed at the ends of boards.

### **Typical Installation Sequence**

- Fix a suitable breather membrane to substrate in accordance with manufacturer's recommendations.
- **2** Fix vertical 25mm x 50mm battens to substrate at 400mm c/c. start 200mm from the ground.
- **3** Fix ventilated starter trim at bottom of area (FC3123) making sure it is level. Fix ventilated closer trim (FC311E3) to top of area.
  - Fix Single Part Trims and/or first part of Two Part Edge, Corner and 'H' Trims as necessary. Do not cut second parts of trim to length yet.
  - Fit first Cladding Plank to Vented Starter Trim and screw fix top to cladding batten using ACSS250 cladding screws. Where necessary join the end of boards using a compatible Butt Joint or 'H' Trim with the correct expansion joint.



Interlock next Cladding Plank to the Plank below and screw fix top to cladding batten with ACSS250 cladding screws, repeating the process until the entire area to be clad is covered.

Cut second parts of 2 part trims to length and clip in place.

Note: Download Dormer Cheek installation information from www.freefoam.com

### **Cladding Trims**















Window and Door Reveal Liner





### **Roofline and Cladding Maintenance**

When compared to the more traditional timber PVC roofline and cladding is an extremely low maintenance product.

All of our external PVC products come with weather-resistant properties that ensure they are durable enough to withstand harsh weathering and minimise the risk of severe wear and tear.

However, there are a number of steps you can take to help keep them looking as good as new for as long as possible.

### Fascia, Soffit and Gutter

You can use specially formulated PVC panel cleaner, a mild, non-abrasive cleaner designed for PVC. Or you can simply wash down fascia, soffit and gutter occasionally with mild detergent and water. Clean out gutters of leaves, debris and moss. This ensures they maintain optimum performance.



### Cladding

Use a specially formulated PVC panel cleaner or wash down with warm soapy water. You can also use a pressure washer (adjust to half power) every now and then to keep it clean and free from dirt or stains.

### How to clean PVC if you're not using PVC panel cleaner

Step 1: Create a solution of 1 tablespoon of washing up liquid, and 1 litre of warm water in a clean plastic pail or bucket. Thoroughly mix the solution.

Step 2: Wipe the PVC panels with the solution using a microfibre cloth or sponge. Remove as much loose dirt and grime as possible. Frequently rinse the cloth with fresh water to avoid reapplying dirt to the PVC panel.

Step 3: Rinse the PVC panels with fresh water to wash away any of the soapy residue and/or the loosened dirt and grime.

Step 4: Buff the panels with a clean dry microfibre cloth to add shine and prevent soap scum from being visible.

Coastal areas: In coastal areas more frequent cleaning may be required.



## Freefoam, the colour specialist





Freefoam is the colour specialist manufacturing one of the most technologically advanced colour PVC-U and PVC-UE fascia and soffit ranges using the unique patented Colormax™ technology.

#### Here's the science!

Freefoam manufacture using the co-extrusion process. A strong PVC-UE foam 'core' is simultaneously co-extruded with a rigid PVC-U skin, creating a smooth strong and hard wearing surface.

#### **Colour Guaranteed**

Available in a wide range of eight standard colours backed by an industry leading guarantee - up to 50 years on white products\* and 10 years on all other colours

#### Off the shelf

Critically for trade and commercial sectors Colormax<sup>™</sup> technology allows Freefoam to supply the majority of colour products straight from stock. With no minimum order quantities Freefoam make choosing colour an easy option..

### Woodgrain

Freefoam work with world leading foil provider Renolit using the Exofol PVC film for all woodgrain products to provide a durable fade resistant product.

Manufactured with two layers, the colour pigments in the base film use Solar Shield Technology to protect the fascia, soffit and cladding against excessive heat build up and the upper transparent layer prevents against fading caused by UV radiation or other weathering effects.

This technology allows Freefoam to offer a ten year guarantee on all woodgrain products.

- Built in sun reflection
- Reduced heat absorption
- Reduced profile temperature and expansion



### Woodgrain range

### Fascia, Soffit, Window Boards, Trims and Cladding\*



\* Cladding is not available in all woodgrain colours

#### Notes:

- 1. Colours shown are for availability identification only. Please see colour swatch or product samples for exact colour representations.
- 2. Please note that the nearest Ral numbers above are provided for reference purposes only and do not guarantee a precise match. It is recommended that actual Freefoam product samples be used for comparison purposes.
- 3. Please contact Freefoam or see our Technical & Specification Manual for nearest Pantone and NCS reference numbers.

Please note that a lead time may apply to some products listed in this catalogue



# Fortex Cladding Range

White Nearest RAL No. 9003	Pale Gold Nearest RAL No. 1013	Storm Grey Nearest RAL No. 7045	Pale Blue No nearest RAL equivalent	
Sand No nearest RAL equivalent	Colonial Blue Nearest RAL No. 7000	Argyl Brown No nearest RAL equivalent	Misty Grey Nearest RAL No. 7038	
Slate Grey Nearest RAL No. 7015	Cappuccino No nearest RAL equivalent	Sage Green No nearest RAL equivalent		
X-Wood C	ladding C	olour Rang	je	
White Nearest RAL No. 9016	Cream Nearest RAL No. 9001	Oak No nearest RAL equivalent		
Greyed Cedar No nearest RAL equivalent	Wine Red Nearest RAL No. 3005	Anthracite Grey Nearest RAL No. 7016		
Rainwate	r Range			
White Nearest RAL No. 9003	Black Nearest RAL No. 9005	Anthracite Grey Nearest RAL No. 7016	Leather Brown Nearest RAL No. 8017	Cast Iron
				5



### Freefoam and the environment

Freefoam is committed to the prevention of pollution and to continual improvement in environmental management and performance. To reinforce our commitment we have achieved ISO 14001:2004 Environmental Management System certification in Group and implement this on an ongoing basis.

#### Freefoam and Recycling

- Freefoam currently recycle 85% of post production waste and are targeted to increase this to 98%.
- Freefoam keep scrap rates below 10% with highly efficient production processes.
- Freefoam products are 100% lead free; we mean complete product, not just the skin.



#### Note:

All specifications, dimensions, descriptions and illustrations contained in any Freefoam sales literature, quotation, or pricelist or other advertisement matter are intended merely to present a general idea of the goods that we sell. We reserve the right from time to time to make changes which are required to comply with any applicable safety or statutory requirements or which do not materially affect the quality or fitness for purpose of the goods you purchase from us.

# Freefoam **Building Products**

77-83 St James Mill Road Northampton NN5 5JP

T: 01604 591110 F: 01604 580299 E: orders@freefoam.com

www.freefoam.com











